

**Round, square and rectangular tubes
cold-formed from black hot-rolled steel
according to EN 10219**

TUBES SUITABLE FOR HOT-DIP GALVANISATION

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

Standard features

Steel grade: S235JRH - S275J0H - S355J2H

Bar length: 6.000 mm / 12.000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S235JRH, acc. to EN10219-1

Diameter (mm)	Thickness									
	1,5	2	2,5	3	3,6	4	5	6	8	10
16,75		156,2								
17,2		174,5								
20	152,1	177,3								
21,3		180,6	220,2	289,1						
22	162,6	197,7								
25	174,6	210,2	296,5	322,5						
26,9	200,3	236,8	277,3	370,1						
28	194,9	235,4	285,3	385,3						
29	219,4	266,1								
30	221,5	252,3	307,5	359,5		538,1				
32	223,6	289,5	328,8	414,6						
33,7	265,7	281,9	343,2	398,8		529,6	671,9			
35	266,9	296,5	359,5	483,2		556,0				
38	301,6	344,7	391,5	502,2		690,5				
40	302,3	359,7	422,4	528,1		713,7	811,4			
42,4	296,1	359,8	439,5	512,1		677,4	832,9	1.020,6		
43	309,4	375,4								
45	351,4	391,8	479,0	615,8		730,0				
48,3	338,9	412,0	503,8	588,6		772,3	954,4	1.204,4		
50	358,0	437,8	589,1	625,5		879,1	1.166,6			
51				688,5			1.203,0			
54		545,2		715,5						
55	416,0	509,0		730,9		960,3				
56	408,3	496,7		712,4						
57	430,9	528,3	709,2	868,7		1.141,6				
60,3	427,1	520,3	636,2	744,7		980,8	1.205,1	1.529,3		
63	495,2	647,8		811,7		1.069,2				
65	510,6	628,1								
70	575,2	710,8	874,3	929,4		1.260,4	1.447,4	2.004,8		
73	574,4	707,0								
76,1	596,7	734,7	879,1	961,2		1.362,5	1.567,2	1.894,9	2.714,6	
80	671,4	777,1	1.023,5	1.121,0		1.386,0	1.962,7			
83		792,1		1.105,7		1.463,3	1.806,8	2.181,1		
88,9		848,2	1.043,3	1.143,4		1.514,2	1.861,0	2.267,3	3.231,5	
90		806,7		1.163,6		1.541,2				
95		881,0		1.271,9		1.686,8				
101,6		907,4	1.284,1	1.366,8	1.693,8	1.813,3	2.304,1	2.599,2	3.511,4	
108		1.083,4		1.569,3		1.898,7	2.511,1	3.118,7		
114,3		1.023,8	1.448,3	1.479,9	1.786,8	1.969,5	2.439,4	2.949,3	3.989,1	
121		1.305,3		1.799,1		2.385,8	2.701,2	3.270,6	4.419,2	
127		1.264,9		1.736,3		2.434,8	3.157,3	3.335,0	4.546,2	
133				1.891,6		2.348,9	3.121,4	4.054,3	4.827,2	
139,7				1.855,6		2.476,2	3.370,4	3.728,0	5.089,1	
152			1.741,6							
152,4				2.056,2		2.920,0	3.396,3	4.521,6	5.630,6	
159				2.328,1		2.827,3	4.031,1	4.262,1	5.828,4	
168,3				2.399,1		2.993,6	4.264,5	4.518,8	6.185,3	
177,8				2.805,7		3.732,1	4.648,8	4.937,0	6.761,1	
193,7				2.775,0		3.455,6	4.730,9	5.995,3	7.163,9	
219,1				3.078,2		3.940,0	5.247,8	6.826,9	8.180,6	
244,5						4.383,1	5.451,2	6.646,5	9.140,9	11.427,9
273				3.835,6		5.114,5	6.364,0	7.761,8	10.658,5	
323,9						6.954,2	7.579,0	9.235,3	12.696,6	
355,6							9.034,1	10.992,4	15.096,9	

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S275J0H, acc. to EN10219-1

Diameter (mm)	Thickness								
	1,5	2	2,5	3	3,6	4	5	6	8
16,75		160,2							
17,2		179,3							
20	155,7	182,0							
21,3		185,5	226,3	296,2					
22	166,5	202,6							
25	179,2	216,1	303,7	331,1					
26,9	205,3	243,3	285,3	379,5					
28	200,1	242,1	293,7	395,1					
29	224,9	273,1							
30	227,0	259,8	316,5	370,2		551,8			
32	229,7	297,3	338,4	426,0					
33,7	272,1	290,1	353,3	410,9		545,1			
35	273,6	305,1	370,2						
38	308,8	354,1	403,1						
40	309,9	369,7	434,7	542,7					
42,4	304,2	370,5	452,6	527,6		697,5			
43	317,5	386,2							
45	360,0	403,1	492,8	632,4					
48,3	348,1	424,0	518,9	606,4		795,6	982,8	1.237,7	
50	367,5	450,5	604,7	644,1		903,2			
54		558,8		735,7					
55	426,4	522,9		751,3		987,0			
57	441,8	542,8	727,1	890,0		1.169,4			
60,3	438,6	535,7	655,2	767,4		1.010,5	1.241,5	1.571,9	
63	507,3	663,7		835,2		1.100,2			
65	523,0	644,7							
70	588,7	728,6	896,5	955,8		1.295,0		2.055,3	
73	588,5	725,7							
76,1	611,6	754,2	903,2	989,9		1.400,2	1.613,8	1.950,2	2.786,0
80	686,8	797,5	1.049,1	1.151,5		1.426,0	2.011,8	2.112,9	
83		813,4		1.137,1		1.504,8		2.241,8	
88,9		871,0	1.071,8	1.177,1		1.558,7	1.915,9	2.332,9	3.316,7
90		829,8		1.197,8		1.586,3			
95		905,4		1.308,2		1.734,5			
101,6		933,6	1.316,6	1.405,6	1.740,2	1.864,6	2.367,4	2.674,2	3.610,0
108		1.111,4		1.610,6		1.953,6	2.578,8	3.199,2	
114,3		1.053,4	1.485,0	1.523,9	1.839,1	2.027,5	2.511,1	3.034,5	4.100,9
121								3.361,1	4.537,8
127		1.297,7		1.785,0		2.499,1	3.237,1	3.430,3	4.671,4
133				1.942,9		2.416,4	3.205,5	4.154,4	4.958,7
139,7				1.909,5		2.547,5	3.458,7	3.833,4	5.227,6
152,4				2.115,4		2.997,6	3.493,1	4.637,0	5.782,2
159				2.389,2		2.908,8	4.132,2	4.382,4	5.987,1
164				2.492,3		3.321,0			
168,3				2.464,1		3.079,8	4.371,6	4.646,6	6.353,4
177,8				2.874,3		3.823,2	4.762,2	5.072,1	6.939,3
193,7				2.850,2		3.555,2	4.855,0	6.143,3	7.358,7
219,1				3.163,4		4.052,8	5.388,3	6.994,6	8.402,1
244,5						4.509,3	5.608,4	6.834,3	9.389,4
273				3.942,1		5.255,7	6.539,6	7.971,9	10.937,1
323,9						7.122,4	7.788,1	9.485,5	13.028,2
355,6							9.263,9	11.267,7	15.462,0
406,4							10.607,5	12.902,2	17.704,0

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S355J2H, acc. to EN10219-1

Diameter (mm)	Thickness												
	1,5	2	2,5	3	3,6	4	5	6	8	10	12,5	14,2	16
16,75		168,8											
17,2		189,2											
20	162,6	190,9											
21,3		194,9	237,8	309,7									
22	174,1	213,2											
25	187,8	227,4	317,5	347,2									
26,9	214,6	255,5	300,0	397,0									
28	209,9	255,0	309,2	413,4									
29	234,9	286,4											
30	237,4	273,4	333,4	390,0		573,3							
32	240,8	311,9	356,5	447,2									
33,7	283,8	305,6	372,3	433,3		569,6							
35	285,8	321,2	390,0										
38	322,1	371,7	424,8										
40	324,0	388,1	457,5	569,7									
42,4	319,1	390,1	476,9	556,5		729,2							
43	332,8	406,1											
45	375,9	424,0	518,8	663,1									
48,3	365,1	446,7	546,7	639,5		832,0	1.027,5	1.290,0					
50	385,3	473,9	633,8	678,5		941,3							
54		584,3		772,9									
55	446,1	548,8		789,5		1.029,1							
57	462,1	569,6	760,3	929,5		1.213,3							
60,3	460,2	564,1	690,3	809,3		1.056,9	1.298,6	1.639,1	2.387,3	2.893,1			
63	529,9	693,6		879,2		1.148,9							
65	546,3	675,4											
70	613,6	761,8	937,6	1.004,9		1.349,5		2.134,4	2.788,9	3.405,5			
73	614,8	760,3											
76,1	638,8	790,4	948,1	1.043,5		1.459,7	1.687,3	2.037,2	2.942,9	3.604,4	4.513,1		
80	715,4	835,6	1.096,3	1.207,7		1.488,7	2.089,2						
83		853,0		1.195,7		1.569,9		2.337,1					
88,9		913,4	1.124,4	1.240,2		1.628,9	2.002,0	2.435,7	3.506,6	4.303,3	5.434,1		
90		872,7		1.261,6		1.657,3							
95		950,8		1.375,5		1.809,6							
101,6		982,0	1.377,0	1.477,9	1.812,9	1.945,0	2.467,0	2.792,2	3.874,5	4.767,3	6.102,2		
108		1.163,0		1.687,4		2.039,6	2.684,9	3.325,3		5.196,9	6.537,2		
114,3		1.108,1	1.553,1	1.605,3	1.921,3	2.118,8	2.624,1	3.168,3	4.314,9	5.319,7	6.843,3		
121								3.503,4	4.666,8	5.859,0	7.433,6		
127		1.358,7		1.875,7		2.600,4	3.362,6	3.580,0	4.817,8	5.904,3	7.623,6		
133				2.038,0		2.522,6	3.337,8	4.311,7	5.112,7	6.364,0	8.101,8		
139,7				2.009,3		2.659,6	3.597,7	3.999,0	5.377,9	6.618,8	8.227,3		
152,4				2.225,0		3.119,7	3.645,4	4.818,6	5.955,6	7.334,7	9.137,6		
159				2.502,9		3.036,7	4.291,1	4.571,5	6.168,4	7.708,2	9.761,5		
168,3				2.584,7		3.215,3	4.539,6	4.847,4	6.536,1	8.066,7	10.468,5	11.982,3	
177,8				3.002,0		3.966,1	4.940,3	5.284,6	7.132,9	8.815,0	11.122,8		
193,7				2.989,4		3.711,5	5.049,8	6.375,8	7.570,3	9.507,6	12.191,5	13.966,8	
219,1				3.321,5		4.230,2	5.609,1	7.258,1	8.648,8	10.727,8	13.950,7	16.008,6	
244,5						4.707,5	5.855,1	7.129,7	9.659,4	12.131,1	15.593,7	17.970,4	20.090,5
273				4.139,8		5.477,3	6.815,7	8.302,4	11.255,3	14.146,2	18.001,4	20.682,5	23.134,3
323,9						7.386,8	8.116,9	9.878,7	13.397,7	16.880,5	21.521,0	24.720,3	27.690,7
355,6							9.625,3	11.700,1	15.858,5	19.955,1	25.471,6	29.255,5	32.770,6
406,4							11.029,1	13.406,4	18.170,2	22.906,2	29.076,1	33.546,0	37.647,9

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S235JRH, acc. to. EN10219-1

Dimensions (mm)	Thickness								
	1,5	2	2,5	3	4	5	6	8	10
15	148,2	169,2							
20	177,7	211,3	256,6	287,0					
25	214,1	254,2	313,0	359,0					
30	254,7	303,6	400,0	428,8	543,4				
34	347,6	429,5	473,3						
35	299,9	374,9	499,8	508,9	705,6				
38				563,8					
40	339,7	408,3	492,3	566,3	733,4	881,9			
45	450,8	498,9	667,8	669,6	951,5	1.200,4			
50	458,9	540,0	675,2	729,2	940,9	1.145,4	1.423,4		
55	554,2	713,9	926,6	992,8					
60	525,7	636,2	855,8	901,4	1.171,5	1.419,6	2.038,0		
70		757,0	1.065,4	1.077,0	1.408,5	1.714,3	2.036,7		
80		856,1	1.155,8	1.220,5	1.601,4	1.962,7	2.338,8	3.235,1	
90		1.071,8		1.407,1	1.855,8	2.262,2	2.721,5	3.593,1	4.544,7
100		1.109,6	1.345,8	1.546,8	2.032,2	2.501,1	3.012,1	4.026,0	
110				2.070,3	2.374,5	2.922,5	3.518,4	5.281,5	
120				1.897,2	2.509,4	3.092,8	3.730,7	4.950,6	
130						4.014,7	4.832,8		
140				2.513,1	3.002,2	4.077,0	5.134,8	5.955,2	
150				2.556,6	3.252,2	4.029,3	5.348,2	6.496,2	
160				3.157,4	3.587,0	4.350,9	5.272,5	7.066,8	
175				3.380,0	4.040,1	4.917,2	5.827,4	7.825,9	
180						4.935,8	5.980,6	8.034,8	
200				3.565,2	4.664,1	5.562,1	6.740,5	9.101,8	
220					5.278,4	6.372,2	7.739,2	10.393,8	
250					6.087,3	7.443,7	9.019,1	12.044,4	
300						9.535,9	11.580,4		

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S275J0H, acc. to EN10219-1

Dimensions (mm)	Thickness							
	1,5	2	2,5	3	4	5	6	8
15	151,9	173,4						
20	181,9	216,9	263,2					
25	219,8	261,4	321,8	369,3				
30	261,6	312,6	410,8	441,5	559,1			
34	356,8	439,6	485,8					
35	308,1	385,6	512,7	523,9	724,7			
38				580,4				
40	348,9	420,6	507,4	583,7	755,8	908,4		
45	461,4	512,7	685,1	689,8	977,2			
50	470,8	555,7	694,3	751,9	969,9	1.180,2	1.463,5	
55	568,9	731,3	948,4					
60	539,9	655,2	879,2	929,1	1.207,3	1.462,9	2.088,3	
70		779,5	1.092,7	1.109,5	1.451,0	1.765,9	2.096,8	
80		881,8	1.187,4	1.258,1	1.650,3	2.023,0	2.409,0	3.322,4
90		1.100,8		1.449,8	1.911,6	2.330,2	2.801,9	3.693,8
100		1.142,1	1.385,9	1.594,4	2.094,4	2.577,7	3.102,6	4.140,0
110				2.123,1	2.443,8	3.007,7	3.619,1	5.408,7
120				1.954,7	2.585,1	3.186,0	3.841,0	5.091,2
125				2.126,0	2.812,2	3.462,4	4.178,3	
130						4.116,2	4.953,1	
140				2.580,6	3.091,7	4.187,3	5.265,2	6.122,3
150				2.629,6	3.348,1	4.147,9	5.488,7	6.676,8
160				3.235,2	3.689,8	4.477,6	5.423,3	7.261,0
175				3.465,2	4.152,9	5.056,6	5.992,9	8.039,8
180						5.079,6	6.151,5	8.255,6
200				3.663,2	4.793,5	5.722,4	6.931,1	9.349,3
220					5.421,0	6.548,9	7.950,0	10.667,9
250					6.250,1	7.646,0	9.259,7	12.359,1
260						8.032,1	9.742,2	
300						9.779,7	11.871,5	15.985,8

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S355J2H, acc. to EN10219-1

Dimensions (mm)	Thickness												
	1,5	2	2,5	3	4	5	6	7	8	10	12,5	14,2	16
15	160,0	182,6											
20	190,0	227,2	275,5										
25	230,2	274,9	338,0	387,8									
30	274,5	329,1	430,9	464,8	583,5								
34	376,6	462,1	511,8										
35	323,2	405,1	536,7	551,9	754,6								
38				611,2									
40	366,7	443,3	535,2	616,4	790,9	950,2							
45	481,2	538,7	716,7	727,0	1.017,5								
50	492,9	584,7	729,9	793,8	1.015,5	1.235,1	1.526,9						
55	599,7	767,3	994,1										
60	566,8	690,3	922,5	980,4	1.263,4	1.530,9	2.167,4						
70		820,9	1.144,0	1.170,1	1.517,5	1.847,1	2.191,3						
80		929,4	1.246,4	1.328,0	1.727,5	2.117,4	2.519,5		3.384,7				
90		1.154,6		1.528,9	1.999,5	2.437,3	2.928,1		3.978,3	4.749,0			
100		1.202,0	1.460,4	1.683,0	2.192,4	2.698,1	3.244,8	3.988,3	4.218,0	5.349,6	6.346,5	6.989,8	
110				2.220,9	2.552,5	3.141,6	3.777,1		5.743,1	6.110,9	7.327,6	8.118,9	
120				2.061,4	2.703,8	3.332,4	4.014,1		5.299,9	6.480,7	7.744,6	8.638,9	
125									5.822,1				
130						4.276,0	5.142,1						
140				2.706,3	3.232,2	4.360,3	5.470,1		6.370,7	7.845,8	9.498,0		
150				2.764,9	3.498,6	4.334,5	5.709,5		6.877,8	8.504,7	10.324,9	11.605,5	
160				3.379,5	3.851,1	4.676,7	5.660,0		7.477,5	9.230,9	11.255,7	12.693,1	
175				3.623,3	4.330,2	5.275,7	6.253,1		8.278,3				
180							6.419,9		8.501,8	10.540,8	12.946,2	14.634,0	
200				3.845,0	4.996,6	5.974,1	7.230,5		9.618,0	11.789,8	14.750,4	16.736,9	
220					5.645,2	6.826,6	8.281,2		10.981,1	13.665,1	16.914,9	19.254,1	
250					6.506,1	7.963,9	9.637,8		12.709,5	15.855,4	19.718,6	22.440,2	24.868,8
260									13.369,0	16.450,9	20.783,5	23.685,5	
300						10.162,8	12.329,2		16.552,0	20.435,7	25.952,2	29.517,7	32.778,3

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S235JRH, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness								
		1,5	2	2,5	3	4	5	6	8	10
20	10	140,9	162,4							
	15	154,8	182,6							
25	10	175,5	208,8							
	15	190,9	209,0							
	20	223,7	238,5		320,6					
30	10	188,3	224,8							
	15	208,0	236,1		338,7					
	20	211,1	252,7	349,6	379,7					
	25	277,8	293,0		467,2					
35	10	233,1	250,8							
	15	245,5	277,3							
	20	258,4	293,0		404,5					
	25	327,3	342,4	391,6	490,9					
40	10	218,4	262,2							
	15	270,6	314,5		395,6					
	20	252,2	303,6	404,0	419,2					
	25	321,8	352,2	429,2	525,2					
	27	332,0	365,6		562,6					
	30	324,5	355,7	428,6	497,4	638,0				
	35	340,1	410,4							
45	10	250,4	302,7							
	15	265,4	366,5							
	20	282,9	392,3		548,9					
	25	350,9	371,7	468,7	577,8					
	30	385,3	469,3		660,7					
	35	364,9	440,9	543,7	613,4	788,9				
50	10	268,0	324,0							
	15	333,0	357,0							
	20	302,9	367,8	474,0	514,5					
	25	323,2	388,5	473,3	551,9					
	30	391,6	413,0	498,3	579,7	750,6				
	35	389,6	469,5		657,9					
	40	396,1	479,0	593,3	669,6	872,9	1.212,6			
60	10	366,7	395,8							
	15	388,5	458,5		589,4					
	20	402,4	431,5	532,6	606,4					
	25	385,8	514,4	580,5	729,6					
	30	446,9	473,3	615,3	669,6	872,9				
	40	470,8	517,8	628,6	729,2	951,6	1.159,3	1.423,4		
	50	499,4	666,4	768,3	893,7	1.190,1	1.490,5	1.687,1		
70	20	469,1	571,9	704,0	708,2					
	25	441,0	536,2							
	30	506,9	567,4	741,9	787,4	1.084,2				
	35		637,2		832,7					
	40	561,7	632,8	827,3	834,2	1.093,1	1.535,0			
	50	539,1	708,2	904,8	911,7	1.185,9	1.601,4			
80	15	456,0	630,9							
	20	459,3	553,6		867,6					
	25				855,0					
	30	561,7	590,9	827,3	843,5	1.183,7				
	40	607,9	636,2	775,8	901,4	1.185,9	1.453,0	1.799,5		
	50	593,3	709,3	994,5	1.005,3	1.311,8	1.609,9	2.021,4		
	60	632,7	757,0	1.065,4	1.077,0	1.408,5	1.714,3	2.155,2		

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S235JRH, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness								
		1,5	2	2,5	3	4	5	6	8	10
90	30		751,1	882,7	996,1	1.491,8				
	40		807,3		1.028,6	1.356,4	1.908,0			
	50		787,1		1.102,0	1.439,9	1.898,8	2.533,3		
	60		994,6		1.212,6	1.822,5	2.227,8	2.774,3		
100	20		705,0		1.127,1					
	30		752,3		1.051,8	1.386,6	1.944,4			
	40		810,5	1.065,4	1.077,0	1.424,3	1.878,2	2.487,0		
	50		831,6	1.090,2	1.152,4	1.509,0	1.865,3	2.577,8		
	60		953,0	1.221,9	1.234,5	1.619,5	1.985,0	2.499,4	3.544,3	
	80		1.013,0		1.407,1	1.855,8	2.427,7	2.721,5	4.090,4	
110	50		943,1		1.376,2	1.937,9	2.088,2			
120	30		952,2		1.311,9	1.779,3				
	40		929,4		1.271,0	1.685,4	2.088,2	2.955,0		
	50		1.179,0		1.473,6	1.987,9	2.635,3	3.157,3		
	60		1.029,6		1.407,1	1.855,8	2.262,2	2.875,3	3.823,1	
	80		1.212,0	1.437,4	1.556,2	2.042,9	2.514,1	3.030,1	4.240,9	5.392,5
	100				1.874,6	2.613,7	3.044,2	3.662,1	5.150,6	
130	50		1.227,5		1.732,2	1.940,3	2.624,1			
140	40		1.042,7		1.525,2	2.143,3	2.417,9	3.026,8		
	50				1.601,8					
	60		1.236,9		1.637,9	2.283,1	2.544,8	3.234,5	4.328,7	
	70				1.818,6	2.651,4	2.838,9	3.411,1	4.839,5	
	80				1.849,1	2.348,9	2.890,9	3.483,9	4.918,1	
150	30		1.158,4		1.632,3	2.248,6	2.443,2			
	40		1.346,1		1.885,4	2.203,2	2.997,0			
	50		1.248,9		1.637,9	2.069,7	2.573,4	3.268,1	4.371,0	
	60				1.800,1	2.287,6	3.238,7	3.555,5		
	100				2.156,9	2.753,4	3.381,7	4.085,8	5.531,4	
160	60				2.090,0	2.526,8	3.107,4	4.130,7		
	80				1.974,4	2.509,4	3.092,8	3.730,7	5.328,1	
180	60				2.028,6	2.902,6	3.132,7	3.988,8	5.432,4	
	80				2.288,2	3.175,6	3.532,3	4.258,6	6.069,9	
	100				2.514,9	3.290,8	3.910,1	4.713,6	6.270,3	
200	80				2.565,1	3.354,8	3.992,0	4.814,4	6.843,3	
	100				2.600,4	3.380,9	4.029,3	5.207,7	6.893,2	
	120				3.011,0	3.860,0	4.589,7	5.560,9	7.438,5	
	150				3.085,6	4.104,6	4.996,9	6.049,6	8.192,6	
220	120					4.290,2				
250	100				3.411,6	4.104,6	4.996,9	6.049,6	8.192,6	
	150					4.734,3	5.777,4	6.996,5	9.476,6	
300	100					4.786,1	5.868,9	7.105,4	9.476,6	
	150					5.788,3	6.732,6	8.241,6	11.081,7	
	200					6.208,2	7.634,5	9.246,0	12.466,9	
350	150							9.342,3		

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S275J0H, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness							
		1,5	2	2,5	3	4	5	6	8
20	10	143,9	166,2						
	15	158,6	187,3						
25	10	179,5	213,6						
	15	195,3	214,6						
	20	228,7	244,8						
30	10	192,5	230,5						
	15	213,1	242,4						
	20	216,8	259,8	358,3	389,9				
	25	284,3	301,3						
35	10	238,2	257,1						
	15	251,0	284,4						
	20	264,7	301,3						
	25	335,0	351,3	402,4					
40	10	224,1	269,4						
	15	277,2	322,7						
	20	259,2	312,6	414,7	431,8				
	25	329,5	362,0	441,0	539,0				
	27	339,7	375,8		576,8				
	30	332,9	366,3	441,5	512,4				
	35	348,9	421,9						
45	10	256,9	310,7						
	15	272,4	375,5						
	20	290,5	401,9						
	25	359,3	382,4	481,9	592,8				
	30	394,1	480,7		676,9				
	35	374,3	453,2	558,8	631,0	811,2			
50	10	275,0	332,9						
	15	340,5	366,7						
	20	311,2	378,4	487,0	529,6				
	25	332,0	400,0	487,3	568,2				
	30	401,0	425,0	513,2	597,4	772,9			
	35	399,7	482,5		676,8				
	40	406,6	492,8	610,3	689,8	898,5			
60	10	374,6	406,5						
	15	397,2	470,0						
	20	411,8	443,8	547,6	623,9				
	25	395,8	527,4	596,6	748,4				
	30	457,5	487,3	632,3	689,8	898,5			
	40	482,9	533,5	647,8	751,9	980,6	1.194,2	1.463,5	
	50	512,6	683,8	789,6	919,0	1.222,5		1.732,5	
70	20	479,7	585,7	721,2					
	25	452,4	551,0						
	30	518,9	582,9	761,1	810,1	1.113,3			
	40	574,8	650,0	848,7	859,3	1.125,3	1.574,1	1.921,2	
	50	553,6	727,1	928,1	939,3	1.221,5	1.644,5		
80	20	471,2	569,1		890,2				
	25				878,9				
	30	574,8	608,0	848,7	868,6	1.215,9			
	40	622,4	655,2	799,3	929,1	1.221,5	1.496,3	1.849,7	
	50	608,9	730,0	1.019,9	1.035,5	1.350,8	1.657,3	2.076,8	
	60	649,5	779,5	1.092,7	1.109,5	1.451,0	1.765,9	2.215,4	

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S275J0H, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness							
		1,5	2	2,5	3	4	5	6	8
90	30		770,0	906,0	1.023,8	1.527,5			
	40		828,0		1.058,7	1.395,5	1.955,3		
	50		809,4		1.134,7	1.482,4	1.950,4	2.593,4	
	60							2.839,8	
100	20		723,9		1.154,8				
	30		773,0		1.081,9	1.425,7			
	40		832,8	1.092,7	1.109,5	1.466,6	1.929,8	2.547,0	
	50		855,6	1.119,9	1.187,5	1.554,7	1.921,2	2.643,3	
	60		978,7	1.253,6	1.272,0	1.668,5	2.045,3	2.569,7	3.631,6
	80		1.041,9		1.449,8	1.911,6	2.495,7	2.801,9	4.190,9
120	30				1.347,0				
	40		955,1		1.308,6	1.734,5	2.148,4	3.025,3	
	50				1.513,7	2.040,4	2.699,7	3.232,9	
	60		1.058,6		1.449,8	1.911,6	2.330,2	2.955,6	3.923,7
	80		1.244,4	1.477,4	1.603,9	2.105,2	2.590,8	3.120,6	4.354,7
	100				1.927,4	2.683,0	3.129,4	3.762,8	5.277,9
140	40				1.567,9	2.199,0	2.486,1	3.107,3	
	50				1.646,9				
	60		1.269,4		1.685,8	2.345,3	2.621,5	3.324,9	4.442,7
	70				1.869,0	2.717,5	2.919,7	3.506,6	4.959,8
	80				1.901,8	2.418,0	2.976,1	3.584,6	5.045,2
150	30		1.188,0		1.675,1	2.304,5	2.511,3		
	50		1.281,2		1.685,8	2.131,8	2.649,9	3.358,6	4.484,9
	60				1.850,4	2.353,6	3.319,6	3.650,7	
	70				2.002,7			3.903,7	
	75				2.046,2	2.690,4	3.329,8	3.956,8	
	100				2.217,1	2.832,8	3.479,2	4.201,4	5.678,9
160	60				2.142,6	2.596,0	3.192,6	4.231,2	
	80				2.031,9	2.585,1	3.186,0	3.841,0	5.468,6
	120					3.290,8	4.121,1	4.896,4	
180	60				2.086,0	2.978,2	3.226,0	4.099,1	5.572,9
	80				2.350,9	3.258,1	3.634,1	4.378,9	6.223,7
	100				2.582,4	3.380,3	4.020,3	4.844,1	
	120				2.835,8	3.660,1	4.368,4	5.271,8	
200	80				2.632,8	3.444,1	4.102,3	4.944,7	7.010,5
	100				2.673,4	3.476,7	4.147,9	5.348,2	7.073,8
	120				3.088,8	3.962,8	4.716,4	5.711,6	7.633,0
	150				3.170,7	4.217,4	5.136,2	6.215,2	8.406,6
220	120					4.399,3		6.333,9	
250	100				3.496,8	4.217,4	5.136,2	6.215,2	8.406,6
	150					4.863,6	5.937,5	7.187,0	9.724,2
260	140							7.475,6	
300	100					4.915,4	6.029,1	7.295,9	9.724,2
	150					5.934,1	6.913,6	8.457,1	11.362,8
	200					6.371,1	7.836,8	9.486,6	12.781,4
400	200						9.772,7	11.863,3	

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S355J2H, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness											14,2	16
		1,5	2	2,5	3	4	5	6	8	10	12,5			
20	10	149,8	173,5											
	15	165,6	196,2											
25	10	186,4	222,3											
	15	203,6	224,9											
	20	237,8	256,9											
30	10	200,6	240,8											
	15	222,3	254,5											
	20	227,2	273,4	374,6	408,5									
	25	295,8	316,1											
35	10	247,7	269,2											
	15	261,6	298,0											
	20	276,3	316,1											
	25	351,0	367,9	422,5										
40	10	234,5	282,9											
	15	288,5	337,6											
	20	272,0	329,1	434,8	455,1									
	25	343,4	380,1	463,1	564,7									
	27	354,2	394,6		603,5									
	30	347,9	386,1	465,5	540,4	686,8								
	35	365,1	443,2											
45	10	268,3	325,8											
	15	285,2	392,0											
	20	304,5	420,1											
	25	374,1	401,9	505,7	620,8									
	30	410,3	502,1		707,4									
	35	391,8	476,0	586,6	663,6	846,4								
50	10	287,7	349,5											
	15	354,7	384,8											
	20	326,3	398,0	511,1	557,5									
	25	348,3	421,1	513,1	598,6									
	30	418,6	448,0	541,1	630,0	808,0								
	35	418,4	506,9		711,7									
	40	426,4	518,8	642,2	727,0	939,0								
60	10	390,0	426,2											
	15	413,5	491,3											
	20	429,3	466,6	575,5	656,5									
	25	414,6	551,8	626,3	783,4									
	30	477,3	513,1	664,0	727,0	939,0								
	40	505,0	562,5	683,3	793,8	1.026,3	1.249,1	1.526,9						
	50	537,1	715,9	829,2	965,4	1.273,3		1.803,4						
70	20	499,4	611,7	752,8										
	25	473,3	578,6											
	30	541,0	612,0	796,6	852,0	1.158,9								
	40	599,3	682,3	888,1	906,0	1.176,2	1.635,4							
	50	580,4	762,2	971,5	990,7	1.277,7	1.712,5							
80	20	493,4	598,1		932,2									
	25				923,2									
	30	599,3	640,3	888,1	915,3	1.266,8								
	40	649,1	690,3	842,6	980,4	1.277,7	1.564,2	1.928,8						
	50	638,1	768,3	1.067,2	1.091,4	1.412,3	1.731,8	2.163,7						
	60	681,0	820,9	1.144,0	1.170,1	1.517,5	1.847,1	2.309,9						

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S355J2H, acc. to EN10219-1

Side A (mm)	Side B (mm)	Thickness										14,2	16	
		1,5	2	2,5	3	4	5	6	8	10	12,5			
90	30		805,1	949,4	1.075,1	1.583,7								
	40		866,3		1.114,7	1.456,8	2.029,9							
	50		850,8		1.195,3	1.549,1	2.031,6	2.688,0						
	60					1.940,1		2.942,6						
100	20		759,1		1.206,0									
	30		811,4		1.137,9	1.487,0								
	40		874,2	1.144,0	1.170,1	1.533,3	2.010,9	2.641,7						
	50		900,1	1.174,8	1.252,7	1.626,6	2.009,1	2.746,2						
	60		1.026,3	1.312,5	1.342,1	1.745,7	2.139,7	2.680,1	3.509,5					
	80		1.096,0		1.528,9	1.999,5	2.602,8	2.928,1	4.044,3					
120	30				1.412,3									
	40		1.002,7		1.378,5	1.811,7	2.242,8	3.135,7						
	50				1.588,3	2.122,8	2.800,9	3.351,7						
	60		1.112,5		1.528,9	1.999,5	2.437,3	3.082,0	3.995,4					
	80		1.304,3	1.551,9	1.692,5	2.202,9	2.711,2	3.262,9	4.439,5	5.626,0				
	100				2.025,2	2.791,7	3.263,2	3.920,8	5.368,7					
140	40				1.647,1	2.286,9	2.593,1	3.233,6						
	50				1.730,8									
	60		1.329,3		1.774,2	2.443,3	2.741,9	3.467,1	4.524,0					
	70				1.962,1	2.821,2	3.046,9	3.656,2	5.042,3					
	80				1.999,6	2.526,8	3.109,8	3.742,6	5.139,8					
150	30		1.242,5		1.754,2	2.392,3	2.618,3							
	50		1.341,2		1.774,2	2.229,7	2.770,5	3.500,7	4.569,6					
	60				1.943,5	2.457,3	3.446,8	3.800,5						
	75								5.421,6					
	100				2.328,8	2.957,3	3.632,2	4.382,9	5.788,4	7.416,4	8.874,3			
160	60				2.240,5	2.704,7	3.326,5	4.389,4						
	80				2.138,7	2.703,8	3.332,4	4.014,1	5.569,0					
	90								6.070,7					
	120								6.943,7					
180	60				2.192,8	3.097,0	3.372,3	4.272,1	5.677,4					
	80				2.467,7	3.387,8	3.793,9	4.567,9	6.329,3	7.947,3				
	100				2.708,0	3.520,8	4.193,5	5.049,0	6.876,8	8.460,0				
	120								7.218,1	8.793,7	10.813,7			
200	80				2.758,3	3.584,7	4.275,4	5.149,7	7.134,7					
	100				2.808,8	3.627,3	4.334,5	5.569,0	7.202,6	8.542,4	10.517,4			
	120				3.233,1	4.124,1	4.915,4	5.948,3	7.849,4	9.683,5	11.791,6			
	150				3.328,9	4.394,7	5.355,4	6.475,3	8.724,5	10.805,5	13.230,1			
220	120				4.570,8			8.618,3	10.359,4	12.846,5	14.494,6			
250	100				3.654,9	4.394,7	5.355,4	6.475,3	8.724,5	10.805,5	13.230,1			
	150					5.066,9	6.189,3	7.486,5	10.282,8	12.604,7	15.726,7	17.811,9		
260	140								10.374,8	12.717,4	15.861,8	18.124,0		
300	100					5.118,7	6.281,0	7.595,4	10.466,6	13.003,5	15.996,8	18.124,0		
	150					6.163,3	7.198,0	8.796,0	11.884,7	14.782,9	18.292,1	20.781,5		
	200					6.627,1	8.154,7	9.864,7	13.123,0	16.364,0	20.333,5	23.128,0		
350	150							9.961,0	13.123,0	16.364,0				
400	200							12.320,8	16.552,0	20.704,6	25.886,5	29.517,7	32.778,3	

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED TUBES FOR DOOR AND WINDOW FRAME
QUALITY E235CR1S1, acc. to EN10305-3

Dimensions (mm)	Thickness	
	1,5	2
10A	282,4	
11A	285,2	
11B	339,7	
11C	339,7	
14A	389,9	
15A	417,8	
15T	496,2	
15Z	496,2	
16A	480,6	
16B	480,6	
16D		926,3
16Z	534,4	
1A	363,2	
1B	456,9	
1C	417,8	
2A	378,7	
2B	394,7	
2D		737,2
2N	494,4	
2T	494,4	
2Z	406,0	
SF1B	469,7	
SF2B	549,8	
SF3B	549,8	

**Line pipe tubes
from black hot-rolled steel
according to EN 10217-1**

Prices in Euro/100 metres ex-works

Certificates 3.1 under EN 10204

Standard features

Steel grade: P235TR1

Bar length: 6.000 mm / 12.000 mm

Length tolerance: -0 +50 mm

Available on request:

- Different diameters, thicknesses and lengths

WELDED TUBES
round, square and rectangular tubes cold-formed
from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

ROUND WELDED LINE PIPE - QUALITY P235TR1, acc. to EN10217-1

Diameter (mm)	Thickness										
	2	2,3	2,6	2,9	3,2	3,6	4	4,5	5	5,6	6,3
26,9			320,9		385,4						
31,8			385,6								
33,7	322,0	355,6	398,2	439,8	481,0						
38		404,1	453,4			609,8	669,7		838,3		
42,4		454,2	509,5	563,9	617,8				950,0		
44,5			536,7						1.003,3		
48,3		521,2	585,1		710,8	792,4					1.385,0
51		551,7	619,6	686,8			925,8				
57		619,6		772,8							
60,3		636,4	715,7	793,8	871,3		1.073,9				1.728,2
63,5				838,1							
70			835,7	928,2					1.650,9		2.038,5
76,1			911,3	1.012,4	1.112,6	1.244,8	1.375,5		1.805,7		2.233,5
82,5			990,6		1.210,1						
88,9				1.189,5	1.307,8	1.464,5	1.619,6		2.000,6		2.481,9
101,6				1.365,2	1.501,7	1.682,7		2.083,8	2.303,6		2.863,2
108				1.453,5		1.792,1					
114,3					1.695,4	1.900,4	2.104,1	2.356,3	2.606,3		3.244,8
121						2.015,7	2.232,1				3.446,1
127					1.889,1		2.346,4		2.909,2		
133						2.221,4	2.460,9				3.806,7
139,7						2.336,6	2.588,6	2.901,5	3.211,9		4.008,2
152,4				2.067,7			2.830,9	3.174,3			4.389,6
159				2.158,9			2.956,6	3.315,8			4.587,8
168,3				2.287,4		2.827,7	3.134,2	3.515,3	3.894,0		4.867,4
177,8								3.719,0			5.152,7
193,7							3.618,7	4.060,4		5.023,3	5.630,4
219,1					3.509,4		4.103,4	4.605,2	5.105,3		6.393,7
244,5							4.737,0		5.896,8		7.389,5
273							5.298,3		6.598,6		8.273,7
323,9							6.430,1			8.957,1	
355,6										10.160,9	
406,4											13.194,4

**Round, square and rectangular tubes cold-formed
from pickled hot-rolled steel
according to EN 10305-3 and 5**

TUBES SUITABLE FOR HOT-DIP GALVANISATION

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

Standard features

Steel grade: E220+CR2S2

Surface: Decapata

Bar length: 6.000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

WELDED TUBES
round, square and rectangular tubes cold-formed
from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES
QUALITY E220+CR2S2, acc. to EN10305-3

Diameter (mm)	Thickness				
	1,5	2	2,5	3	4
10	94,8				
12	112,0	144,0			
13	125,1				
14	130,3	159,2			
15	132,9				
16	137,6	170,5			
17	145,5				
18	147,5	184,9			
19	163,7	202,9			
20	168,4	210,1			
21,3		204,2	255,6		
22	171,9	214,3			
25	190,7	238,2	300,3	361,2	
26	214,6	269,6	338,2		
26,9		276,1	332,6	392,9	
28	213,2	266,3	336,8	406,8	
29	240,4	302,6			
30	245,0	285,7	361,6	437,2	
32	244,3	329,5	387,9	471,0	
33,7		320,3	406,8	484,6	
35	286,7	334,9	425,2	513,5	
38	311,0	391,7	461,9	565,6	
40	333,9	421,6	498,1	599,3	
42	321,2	412,3	524,2		
42,4		407,6	519,2	637,3	
43	362,8	459,5			
45	377,4	443,2	563,9	675,6	
48	368,7	464,0	591,4		
48,3		467,2	595,8	726,7	955,5
50	392,4	494,9	630,4	754,9	993,2
54		622,4			
55	468,1	593,8			
57	470,9	596,0	759,7		
60	466,0	588,6	751,8		
60,3		587,6	752,5	920,8	1.231,3
63	552,1	750,3			
65	571,1	725,2			
70	594,2	754,4	895,6	1.074,2	1.442,3
73	642,0	817,6			
75	660,5	840,6			
76	640,5	813,6	966,0		
76,1		813,2	967,4	1.174,0	1.577,3
80	693,2	881,8	1.049,0	1.244,3	1.686,2
83	700,0	889,4			
88,9		980,3	1.214,8	1.461,3	1.924,7
95	803,1	1.021,9			
101,6		1.104,5	1.341,5	1.617,2	2.135,7
108	932,5	1.253,5		1.786,7	2.360,0
114,3		1.293,3	1.609,5	1.935,8	2.488,1
127		1.538,3		2.136,0	2.826,0
159		1.650,3			

WELDED SQUARE TUBES
QUALITY E220+CR2S2, acc. to EN10305-5

Diameter (mm)	Thickness				
	1,5	2	2,5	3	4
10	125,2				
12	141,6				
14	166,1				
15	178,5	215,7			
16	179,7	223,0			
18	197,3	245,0			
20	202,2	257,4	328,3		
22	241,4	313,3			
25	254,7	322,7	406,3	442,8	
28	316,6	410,7			
30	301,2	384,1	484,1	547,4	
32	345,5	448,6			
34	432,0	510,0	621,3		
35	362,6	494,8	585,4	646,0	
40	388,1	477,7	627,0	729,3	971,2
45	488,7	627,5	738,9	848,3	
50	530,2	656,8	800,6	970,0	1.263,7
55	660,9	863,6	1.020,7		
60	600,0	740,1	975,9	1.151,5	1.533,8
70	759,8	927,9	1.152,3	1.410,9	1.849,7
75	840,2	1.101,6			
80	868,4	1.042,8	1.346,7	1.591,3	2.076,0
90		1.282,6		1.866,2	2.356,7
100		1.330,3	1.684,0	2.016,3	2.674,7

WELDED TUBES
round, square and rectangular tubes cold-formed
from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES
QUALITY E220+CR2S2, acc. to EN10305-5

Side A (mm)	Side B (mm)	Thickness				
		1,5	2	2,5	3	4
20	10	177,7	212,6			
	15	181,6	230,3			
25	10	195,3	247,9			
	15	215,0	256,2			
	20	239,7	284,7			
30	10	217,0	276,6			
	15	237,5	282,1			
	20	249,6	316,1	398,2	477,9	
	25	303,8	361,3			
35	10	250,0	298,2			
	15	273,4	347,4			
	20	301,3	357,9			
	25	374,3	417,8	491,2		
40	10	258,0	327,5			
	15	295,7	376,3			
	20	301,2	384,1	484,1	533,6	
	25	356,4	456,4	537,4		
	27	363,9	456,8			
	30	381,1	436,4	573,5	633,9	
	35	395,2	495,4			
45	10	284,3	354,6			
	15	302,7	414,2			
	20	333,0	456,4			
	25	389,5	464,3	587,8		
	30	418,6	535,9			
	35	404,9	507,7	655,2		
50	10	305,4	389,8			
	15	369,5	443,0			
	20	355,9	452,4	573,5	710,4	
	25	378,5	483,1	610,7	741,0	
	30	411,3	487,5	617,8	732,4	974,4
	35	442,8	555,8			
	40	445,0	570,1		848,0	
60	10	403,4	482,7			
	15	422,4	540,7			
	20	419,0	497,8	630,4	780,5	
	25	442,8	596,5	718,1		
	30	473,1	564,1	713,0	835,4	
	40	514,0	608,6	772,7	965,3	1.262,1
	50	577,4	780,3	939,4	1.081,1	1.431,5

WELDED RECTANGULAR TUBES
QUALITY E220+CR2S2, acc. to EN10305-5

Side A (mm)	Side B (mm)	Thickness				
		1,5	2	2,5	3	4
70	20	497,5	638,9	752,8		
	25	492,0	617,8			
	30	552,6	695,9	836,6	970,6	
	40	596,1	765,9	904,1	1.060,1	
	50	626,4	845,2	1.019,4	1.200,5	1.553,4
80	15	503,6	690,8			
	20	508,4	650,5		1.004,7	
	30	609,6	730,3	926,1	1.076,9	
	40	649,8	748,3	985,3	1.151,5	1.533,8
	50	688,1	866,6	1.121,0	1.299,5	1.700,0
	60	737,6	897,0	1.200,3	1.419,6	1.844,6
90	20	617,9	795,4			
	30	670,6	919,5	1.092,7		
	40	736,9	1.011,7			
	50	789,3	1.015,9		1.503,6	
100	20	640,9	821,9			
	30	704,6	905,7		1.331,5	
	40	729,3	975,5	1.135,4	1.389,0	1.810,0
	50	779,3	967,8	1.232,1	1.494,0	1.967,2
	60		1.121,1	1.328,1	1.610,4	2.104,8
	80		1.176,4		1.866,9	2.356,7
120	40		1.066,6		1.610,4	2.104,8
	60		1.194,2		2.027,0	2.356,7
	80		1.439,7	1.696,3	2.027,5	2.674,7
140	60		1.439,7		2.027,5	2.672,3
150	50		1.428,8		2.027,5	2.674,7

WELDED TUBES
round, square and rectangular tubes cold-formed
from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED OVAL TUBES
QUALITY E220+CR2S2, acc. to EN10305-3

Lato A (mm)	Lato B (mm)	Spessore	
		1,5	2
30	15	212,2	274,0
36	18	258,0	333,1
40	20	281,3	358,6
50	10	313,8	407,3
	20	351,2	456,4
	25	368,7	480,2
60	30	442,7	574,8

WELDED SEMIOVAL TUBES
QUALITY E220+CR2S2, acc. to EN10305-3

Lato A (mm)	Lato B (mm)	Spessore	
		1,5	2
40	20	317,7	412,5
	30	355,9	462,5
50	25	401,3	522,3
60	30	484,8	632,3

WELDED TRIANGULAR TUBES
QUALITY E220+CR2S2, acc. to EN10305-3

Lato A (mm)	Lato B (mm)	Spessore	
		1,5	2
30	15	214,0	276,6
40	22	292,3	378,0

WELDED TUBES FOR WINDOWS AND DOOR FRAMES
QUALITY E220+CR2S2, acc. to EN10305-3

Lato A (mm)	Spessore	
	1,5	1,8
10A	309,5	
11A	313,9	
11B	365,5	
11C	373,8	
14A	429,0	
15A	459,7	
15T	545,7	
15Z	545,7	
16A	527,8	
16B	527,8	
16Z	589,1	
1A	399,8	
1B	503,6	
1C	468,4	
20L		821,5
20T		1.010,2
20Z		1.010,2
21L	518,9	
21T	667,8	
21Z	667,8	
2A	408,0	
2B	434,1	
2N	542,3	
2T	552,6	
2Z	445,9	
MT5	391,1	
MT9	425,4	
SF1B	517,4	
SF2B	610,0	
SF3B	605,7	

**Round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel
according to EN 10305-3 and 5**

**EXTERNAL WELDED AREA
WITH ZINC COATING**

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

Standard features

Steel grade: E220+CR2S4

Bar length: 6.000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

WELDED TUBES
round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY E220+CR2S4, acc. to EN10305-3

Diameter (mm)	Thickness						
	1	1,2	1,5	2	2,5	3	4
12			124,6				
13			138,9				
14	104,9	121,4	145,4	173,7			
15			149,1				
16	110,8	128,5	154,9	189,0			
17			166,8				
18	120,7	139,3	164,2	209,2			
19	132,6	155,1	181,1	243,6			
20	126,2	147,3	171,4	218,4			
21,3				240,2	297,5		
22	149,3	172,7	202,4	263,1			
25	165,9	186,1	225,5	291,3	356,1		
26			236,3	303,8	378,5		
26,9			245,6	315,5	392,5	461,6	
28	173,6	203,1	237,0	304,7	397,1		
29			265,6	341,8			
30	186,3	218,4	254,8	328,1	410,2		
32	196,1	229,7	273,2	348,2	435,9		
33,7			283,0	364,7	446,2	530,0	
35	214,9	251,9	298,4	385,4	480,2		
38	233,6	274,4	323,7	419,0	508,5		
40	246,5	288,9	346,6	448,6	529,5	650,8	
42	259,5	303,8	359,2	464,5	565,7		
42,4			362,2	468,6	571,3	679,5	
45	277,3	326,0	393,2	508,4	628,2	745,1	
48	296,9	348,1	408,6	534,1	651,7		
48,3				537,0	655,1	781,9	
50		373,5	437,3	567,6	714,3	848,3	
55		432,4	485,3	629,8			
57			510,0	662,0	862,5		
60		464,6	514,0	673,8	823,6	983,4	
60,3				677,7	827,1	989,1	1.343,2
63			584,1	728,4			
65			603,1	785,0			
70			617,8	803,9	1.015,0	1.209,2	
73			679,1	884,3			
75			698,0	909,2			
76			666,4	866,7	1.061,2	1.272,5	
76,1				867,6	1.063,4	1.273,4	1.718,8
80			720,8	938,6	1.186,1		
83			774,2	1.009,1			
88,9			788,6	1.028,5	1.261,1	1.510,6	2.063,2
101,6				1.177,1	1.445,4	1.731,8	2.370,2
114,3				1.328,0	1.637,2	1.955,9	2.679,2
127				1.492,1		2.199,5	2.985,7
133						2.244,5	

WELDED TUBES
round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY E220+CR2S4, acc. to EN10305-5

Dimensions (mm)	Thickness						
	1	1,2	1,5	2	2,5	3	4
10			140,6				
12			155,4				
14	127,2	146,0	172,7				
15	143,8	165,9	198,9	241,8			
16	137,5	157,2	187,9	240,6			
18	161,9	189,0	225,8	260,0			
20	168,6	195,5	230,1	287,0	355,2		
22	189,4	222,8	257,2	336,6			
25	201,6	236,6	271,9	347,0	423,4	501,0	
28	247,0	290,2	334,6	440,2			
30	238,0	280,6	322,6	412,4	506,7	595,5	
32	269,1	316,4	375,1	493,3			
34			478,4	571,4	694,6		
35	285,8	337,0	380,8	495,0	631,0	709,8	
40	307,4	360,8	419,7	535,0	695,8	782,7	
45			496,5	643,7	811,7	931,3	
50			532,8	679,8	885,7	1.049,0	1.335,6
55			725,2	894,9	1.127,5		
60			644,8	823,9	1.075,5	1.276,8	1.644,7
70			851,3	1.082,7	1.402,0	1.667,7	2.184,4
75			910,1	1.206,9			
80			977,4	1.244,4	1.612,4	1.685,4	2.271,0
90				1.488,8			
100				1.463,9	1.855,2	2.145,1	2.859,8
120						2.662,0	3.500,1
150						3.699,4	4.830,0
200						4.686,3	6.660,3

WELDED TUBES
round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S4, acc. to EN10305-5

Side A (mm)	Side B (mm)	Thickness						
		1	1,2	1,5	2	2,5	3	4
20	10	125,0	146,6	174,7	219,6			
	15	143,6	168,8	204,0	257,4			
25	10	144,7	170,1	205,5	259,6			
	15	159,4	187,0	229,1	289,6			
	20	177,1	207,9	256,9	325,3			
30	10	160,5	188,4	231,0	291,8			
	15	175,9	206,3	242,3	311,2			
	20	198,4	232,8	267,3	344,0	430,2	486,6	
	25	224,4	263,5	305,7	394,6			
35	10	184,2	216,2	254,9	327,8			
	15	202,6	237,6	273,1	351,8			
	20	222,7	261,4	303,0	390,9			
	25	241,3	284,1	386,3	426,7	535,0		
40	10	204,2	239,6	275,7	354,9			
	15	219,1	257,0	297,5	384,2			
	20	234,4	276,0	320,3	413,7	518,8	590,1	
	25	264,8	310,4	356,1	460,3	578,3	680,2	
	27			370,3	470,7			
	30	280,9	331,3	380,8	493,3	619,6	695,9	
	35	311,8	365,2	424,5	540,0			
45	10	224,4	263,5	305,7	387,6			
	15	239,1	281,7	327,7	423,0			
	20	264,8	310,4	356,1	460,3			
	25	286,7	338,6	389,4	504,5	633,9		
	30	309,5	362,2	420,6	544,5			
	35	318,8	374,6	444,0	565,6	723,9		
50	10	241,3	284,1	330,5	426,7			
	15	273,4	320,8	368,9	477,5			
	20	280,9	331,3	380,8	493,3	619,6	713,8	
	25	300,6	351,6	407,6	527,9	664,2	767,3	
	30	303,5	356,7	421,4	545,3	686,4	798,3	
	35	348,8	411,5	479,5	611,3			
	40	352,5	414,6	485,3	629,5			
60	10	296,2	349,8	403,3	522,6			
	15	311,8	365,2	424,5	549,7			
	20	308,8	362,5	434,2	565,2	699,1	825,0	
	25	348,8	411,5	479,5	622,1	783,2		
	30			484,6	623,6	786,4	916,6	
	40			523,7	679,8	858,2	998,6	1.293,9
	50			625,7	813,7	1.026,9		
70	20			505,4	655,4	826,3		
	25			535,0	682,5			
	30			562,3	706,1	921,6	1.039,1	
	40			604,3	784,8	991,6		
	50			671,2	857,1	1.119,1		
80	15			546,5	710,0			
	20			562,0	721,7			
	30			617,8	790,2	1.013,7	1.145,8	
	40			660,7	837,4	1.052,3	1.222,3	1.658,9
	50			744,2	940,4	1.224,4	1.402,2	
	60			799,3	1.007,8	1.316,7	1.488,4	

WELDED TUBES
round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S4, acc. to EN10305-5

Side A (mm)	Side B (mm)	Thickness						
		1	1,2	1,5	2	2,5	3	4
90	20			666,8	867,6			
	30			725,0	945,0	1.191,6		
	40			792,7	1.033,2			
	50			851,3	1.110,2		1.633,7	
100	20			706,9	905,7			
	30			760,7	990,3		1.408,6	
	40			793,6	1.009,1	1.277,3	1.484,4	
	50			848,7	1.079,8	1.366,4	1.583,8	2.137,4
	60				1.194,7	1.483,6	1.725,3	2.345,3
	80				1.354,5	1.673,2	1.975,1	
120	30				1.118,8		1.684,1	
	40				1.201,7		1.758,0	2.368,4
	50				1.274,8		1.922,0	
	60				1.336,7		1.948,9	2.607,6
	80				1.512,2	1.937,5	2.214,1	2.914,8
140	60				1.542,9		2.349,2	
	80						2.579,0	
150	30				1.371,4		2.068,4	
	40				1.455,8			
	50				1.516,2		2.311,1	3.038,1
	60						2.424,0	
	100						2.857,5	3.849,2
160	80						2.780,4	3.650,3
180	60						2.780,4	3.650,3
	80						3.017,0	4.067,2
200	100						3.478,1	4.561,1

WELDED TUBES
round, square and rectangular tubes cold-formed
in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED DOOR AND WINDOW FRAME TUBES
QUALITY E220+CR2S4, acc. to EN10305-3

Side (mm)	Thickness		
	1,5	1,8	2
10A	344,0		
11A	349,6		
11B	407,2		
11C	416,9		
15A	512,5		
15T	608,4		
15Z	608,4		
16A	589,2		
16B	589,2		
16D			1.187,6
16Z	656,0		
1A	445,5		
1B	560,4		
1C	521,9		
20L		881,0	
20T		1.084,6	
20Z		1.084,6	
21L	549,2		
21T	707,3		
21Z	707,3		
2A	455,1		
2B	484,0		
2D			945,0
2N	603,8		
2T	613,5		
2Z	495,8		
MT5	434,2		
MT9	451,2		
SF1B	574,2		
SF2B	672,2		
SF3B	672,2		

WELDED OVAL TUBES
QUALITY E220+CR2S4, acc. to EN10305-3

Side A (mm)	Side B (mm)	Thickness		
		1,2	1,5	2
30	15	196,3	235,2	306,9
36	18	237,5	285,2	373,8
40	20	260,1	313,1	410,8
50	10	289,2	348,3	457,5
	20	322,1	388,2	511,1
	25	338,4	409,0	538,4
60	30	406,2	489,2	645,7

WELDED TRIANGULAR TUBES
QUALITY E220+CR2S4, acc. to EN10305-3

Side A (mm)	Side B (mm)	Thickness	
		1,5	2
30	15	236,9	309,2
40	22	323,0	423,4