

CARBON STEEL WELDED TUBES

PRICE LIST

Round, square and rectangular
from hot rolled carbon steel, black, pickled
and "Sendzmir" galvanized

Rev. 15 • September 28, 2026

ROUND, SQUARE AND RECTANGULAR TUBES COLD-FORMED FROM BLACK HOT-ROLLED STEEL according to EN 10219

TUBES SUITABLE FOR HOT-DIP GALVANIZATION

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

STANDARD FEATURES

Steel grade: S235JRH - S275J0H - S355J2H

Bar length: 6,000 mm / 12,000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

The **final price** is determined by the sum of the **base price**, to which the agreed commercial discount is applied, and the applicable **fixed extra** charge, which is not subject to discount.

LOGISTICS EFFICIENCY DISCOUNT

For orders of at least
3 bundles/item of 6 m
or **2 bundles/item of 12 m**,
shipped on a single vehicle,
a **discount of €12/ton**
will be applied directly
to the invoice.

MELTED AND POURED

The *Melted and Poured*
certificate is subject
to an additional charge,
the amount of which
will be commercially agreed
based on the volumes
covered by the request.

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S235JRH, acc. to EN10219-1

Ø (mm)	Thickness																			
	1,5		2		2,5		3		3,6		4		5		6		8		10	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
16,75			98,1	30,9																
17,2			101,3	37,5																
20	92,3	29,1	119,9	27,7																
21,3			128,5	36,2	156,6	37,1	182,3	56,9												
22	102,3	29,8	133,2	40,9																
25	117,3	30,1	152,6	33,3	187,7	58,0	220,1	57,6												
26,9	126,8	36,5	166,1	34,7	202,5	44,9	239,0	70,9												
28	132,3	41,9	172,8	47,0	212,0	44,9	249,8	73,4												
29	137,7	51,0	179,6	55,0																
30	141,8	39,7	186,3	38,8	229,5	48,0	270,0	55,6			345,6	98,2								
32	152,6	43,3	199,8	55,5	245,7	51,2	290,3	71,5												
33,7	160,7	51,1	210,6	45,6	259,2	48,6	306,5	59,2			395,6	90,9	477,9	127,8						
35	167,4	49,1	220,1	48,5	270,0	55,6	320,0	85,0			413,1	96,3								
38	182,3	67,5	240,3	51,0	295,7	59,9	349,7	87,3			452,3	126,1								
40	191,7	54,9	252,5	52,6	311,9	67,2	369,9	90,9			479,3	133,2	583,2	152,4						
42,4	203,9	56,7	268,7	50,4	332,1	59,9	394,2	75,8			511,7	114,5	622,4	148,9	727,7	193,6				
43	207,9	67,1	272,7	71,5																
45	217,4	80,5	286,2	74,1	353,7	76,1	419,9	110,1			545,4	125,4								
48,3	233,6	59,7	307,8	75,8	380,7	63,0	452,3	73,9			590,0	128,3	720,9	168,0	845,1	232,8				
50	241,7	68,4	320,0	68,6	395,6	101,6	469,8	89,8			612,9	156,3	749,3	247,6						
51							479,3	119,6					765,5	201,0						
54			347,0	106,4			509,0	120,6												
55	267,3	74,1	352,4	102,3			519,8	123,1			679,1	177,5								
56	272,7	72,9	359,1	95,2			529,2	112,2												
57	276,8	76,8	365,9	106,3	453,6	137,3	540,0	153,6			706,1	261,5								
60,3	294,3	81,7	388,8	95,8	480,6	83,1	572,4	102,1			749,3	163,0	920,7	209,0	1.084,1	292,0				
63	307,8	114,0	406,4	150,5			599,4	129,0			785,7	188,0								
65	317,3	117,5	419,9	131,0																
70	341,6	126,5	452,3	138,6	561,6	135,1	669,6	128,8			878,9	198,1	1.081,4	258,7	1.278,5	473,5				
73	357,8	132,5	472,5	147,5																
76,1	372,6	138,0	494,1	137,7	612,9	134,3	730,4	107,7			959,9	199,1	1.184,0	258,4	1.404,0	342,5	1.809,0	563,9		
80	391,5	145,0	519,8	146,6	645,3	201,4	769,5	198,6			1.012,5	245,6	1.248,8	327,8						
83			540,0	162,0			799,2	181,8			1.051,7	264,9	1.298,7	339,4	1.539,0	396,1				
88,9			579,2	156,0	719,6	162,3	858,6	132,2			1.131,3	218,1	1.390,5	270,9	1.660,5	416,0	2.160,0	669,2		
90			585,9	153,7			869,4	181,4			1.144,8	266,9								
95			619,7	174,2			919,4	209,2			1.212,3	305,4								
101,6			662,9	137,3	824,9	223,0	985,5	167,2	1.174,5	233,8	1.300,1	261,9	1.606,5	377,2	1.903,5	476,9	2.497,5	642,8		
108			706,1	205,5			1.049,0	272,4			1.390,5	335,3	1.714,5	475,1	2.038,5	650,7				
114,3			747,9	193,7	930,2	251,4	1.112,4	195,5	1.327,1	230,7	1.471,5	316,4	1.822,5	382,0	2.160,0	541,1	2.835,0	730,9		
121			792,5	293,5			1.178,6	321,1			1.552,5	370,4	1.930,5	510,9	2.295,0	598,2	3.010,5	897,2		
127			833,0	267,8			1.238,0	236,5			1.633,5	353,9	2.025,0	515,9	2.416,5	620,2	3.172,5	899,3		
133							1.298,7	296,7			1.714,5	365,8	2.133,0	590,1	2.538,0	940,0	3.334,5	965,5		
139,7							1.363,5	236,7			1.809,0	304,8	2.241,0	624,7	2.673,0	702,4	3.510,0	1.019,7		
152					1.244,7	291,3														
152,4							1.498,5	311,6			1.971,0	427,1	2.457,0	632,9	2.929,5	951,6	3.847,5	1.082,5		
159							1.552,5	405,4			2.065,5	409,2	2.565,0	950,0	3.051,0	804,5	4.023,0	1.166,8		
168,3							1.647,0	376,2			2.187,0	368,4	2.713,5	681,1	3.240,0	851,3	4.266,0	1.239,3		
177,8							1.741,5	561,6			2.308,5	627,8	2.875,5	809,0	3.429,0	965,5	4.522,5	1.398,9		
193,7							1.903,5	492,1			2.524,5	481,4	3.145,5	801,3	3.753,0	1.002,0	4.941,0	1.435,4		
219,1							2.160,0	433,0			2.862,0	491,6	3.564,0	788,2	4.252,5	1.086,4	5.616,0	1.647,4		
244,5											3.199,5	777,5	3.982,5	1.003,4	4.765,5	1.252,2	6.304,5	1.831,5	7.803,0	2.314,6
273							2.700,0	656,1			3.577,5	773,0	4.455,0	1.167,5	5.332,5	1.536,6	7.060,5	2.227,2		
323,9											4.266,0	1.184,2	5.305,5	1.390,4	6.345,0	1.828,4	8.410,5	2.653,0		
355,6													5.832,0	1.692,2	6.979,5	2.585,0	9.261,0	3.430,0		

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S275J0H, ACC. TO EN10219-1

Ø (mm)	Thickness																	
	1,5		2		2,5		3		3,6		4		5		6		8	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
16,75			98,1	35,6														
17,2			101,3	41,3														
20	92,3	37,0	119,9	37,9														
21,3			128,5	41,5	156,6	38,9	182,3	58,9										
22	102,3	38,5	133,2	42,2														
25	117,3	39,2	152,6	41,8	187,7	60,1	220,1	60,0										
26,9	126,8	47,2	166,1	46,4	202,5	47,2	239,0	73,5										
28	132,3	43,4	172,8	51,4	212,0	47,3	249,8	76,2										
29	137,7	52,1	179,6	56,9														
30	141,8	51,7	186,3	49,3	229,5	50,5	270,0	58,6			345,6	114,8						
32	152,6	49,5	199,8	60,6	245,7	54,0	290,3	74,7										
33,7	160,7	64,7	210,6	54,2	259,2	55,4	306,5	62,6			395,6	95,3						
35	167,4	63,4	220,1	57,5	270,0	58,6												
38	182,3	73,6	240,3	71,4	295,7	63,2												
40	191,7	71,2	252,5	70,4	311,9	66,0	369,9	95,0										
42,4	203,9	65,1	268,7	69,2	332,1	71,0	394,2	80,1			511,7	120,2						
43	207,9	69,5	272,7	74,6														
45	217,4	84,3	286,2	77,3	353,7	80,0	419,9	114,8										
48,3	233,6	74,4	307,8	79,2	380,7	81,3	452,3	85,7			590,0	134,9	720,9	176,0	845,1	229,6		
50	241,7	80,0	320,0	86,4	395,6	111,8	469,8	101,9			612,9	172,2						
54			347,0	123,0			509,0	126,2										
55	267,3	96,8	352,4	106,3			519,8	128,9			679,1	174,9						
57	276,8	100,4	365,9	110,3	453,6	142,3	540,0	179,6			706,1	252,1						
60,3	294,3	89,4	388,8	100,0	480,6	88,4	572,4	108,4			749,3	171,3	920,7	219,2	1.084,1	287,9		
63	307,8	118,3	406,4	148,0			599,4	135,6			785,7	196,7						
65	317,3	122,0	419,9	135,7														
70	341,6	139,2	452,3	160,4	561,6	174,6	669,6	161,0			878,9	246,9			1.278,5	442,7		
73	357,8	137,0	472,5	152,7														
76,1	372,6	142,1	494,1	157,8	612,9	159,1	730,4	153,6			959,9	224,0	1.184,0	289,1	1.404,0	358,0	1.809,0	583,9
80	391,5	159,5	519,8	167,7	645,3	208,6	769,5	207,1			1.012,5	256,8	1.248,8	434,2	1.485,0	399,6		
83			540,0	167,9			799,2	190,7			1.051,7	276,6			1.539,0	435,9		
88,9			579,2	179,5	719,6	191,6	858,6	186,2			1.131,3	272,5	1.390,5	348,0	1.660,5	434,3	2.160,0	693,0
90			585,9	160,1			869,4	191,0			1.144,8	279,5						
95			619,7	181,0			919,4	219,3			1.212,3	318,9						
101,6			662,9	179,0	824,9	256,5	985,5	236,4	1.174,5	333,7	1.300,1	343,7	1.606,5	466,4	1.903,5	497,9	2.497,5	707,3
108			706,1	239,5			1.049,0	299,6			1.390,5	350,6	1.714,5	519,4	2.038,5	673,2		
114,3			747,9	202,0	930,2	289,2	1.112,4	224,3	1.327,1	324,0	1.471,5	332,7	1.822,5	456,2	2.160,0	533,0	2.835,0	804,3
121															2.295,0	657,6	3.010,5	930,6
127			833,0	277,1			1.238,0	286,8			1.633,5	420,4	2.025,0	538,3	2.416,5	646,9	3.172,5	887,3
133							1.298,7	349,5			1.714,5	435,6	2.133,0	645,3	2.538,0	909,8	3.334,5	1.002,4
139,7							1.363,5	312,5			1.809,0	458,8	2.241,0	715,9	2.673,0	731,9	3.510,0	1.006,5
152,4							1.498,5	350,4			1.971,0	507,2	2.457,0	660,1	2.929,5	984,0	3.847,5	1.182,0
159							1.552,5	445,5			2.065,5	523,8	2.565,0	891,8	3.051,0	838,3	4.023,0	1.211,3
164							1.606,5	469,3			2.133,0	673,3						
168,3							1.647,0	418,8			2.187,0	554,6	2.713,5	711,1	3.240,0	887,2	4.266,0	1.223,3
177,8							1.741,5	580,9			2.308,5	824,3	2.875,5	1.053,8	3.429,0	1.003,4	4.522,5	1.449,0
193,7							1.903,5	513,1			2.524,5	640,2	3.145,5	836,1	3.753,0	1.043,5	4.941,0	1.490,0
219,1							2.160,0	552,8			2.862,0	735,2	3.564,0	1.091,6	4.252,5	1.196,4	5.616,0	1.709,4
244,5											3.199,5	812,9	3.982,5	1.047,4	4.765,5	1.304,9	6.304,5	1.901,2
273							2.700,0	686,0			3.577,5	998,1	4.455,0	1.282,7	5.332,5	1.595,6	7.060,5	2.305,3
323,9											4.266,0	1.547,3	5.305,5	1.527,6	6.345,0	1.898,5	8.410,5	2.746,0
355,6													5.832,0	1.972,7	6.979,5	2.436,4	9.261,0	3.489,8
406,4													6.682,5	2.257,2	7.992,0	2.789,8	10.611,0	3.993,5

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY S355J2H, ACC. TO EN10219-1

Ø (mm)	Thickness																					
	1,5		2		2,5		3		3,6		4		5		6		8		10		12,5	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
16,75			98,1	34,4																		
17,2			101,3	41,8																		
20	92,3	40,0	119,9	35,6																		
21,3			128,5	39,0	156,6	43,9	182,3	55,4														
22	102,3	41,9	133,2	40,0																		
25	117,3	43,0	152,6	46,8	187,7	56,5	220,1	67,2														
26,9	126,8	51,4	166,1	54,2	202,5	53,7	239,0	81,3														
28	132,3	47,7	172,8	57,1	212,0	54,2	249,8	84,3														
29	137,7	56,6	179,6	53,5																		
30	141,8	56,3	186,3	55,3	229,5	58,0	270,0	67,4			345,6	106,5										
32	152,6	54,5	199,8	67,1	245,7	62,0	290,3	84,2														
33,7	160,7	70,0	210,6	61,0	259,2	63,8	306,5	72,5			395,6	106,3										
35	167,4	68,8	220,1	64,6	270,0	67,4																
38	182,3	79,5	240,3	79,3	295,7	72,8																
40	191,7	77,4	252,5	82,3	311,9	80,7	369,9	107,1														
42,4	203,9	71,6	268,7	78,0	332,1	74,4	394,2	93,0			511,7	134,4										
43	207,9	76,2	272,7	83,4																		
45	217,4	91,3	286,2	86,6	353,7	91,6	419,9	128,4														
48,3	233,6	82,0	307,8	89,2	380,7	86,7	452,3	98,7			590,0	151,4	720,9	196,1	845,1	265,7						
50	241,7	87,9	320,0	96,8	395,6	124,7	469,8	117,2			612,9	189,2										
54			347,0	116,4			509,0	142,7														
55	267,3	105,6	352,4	117,8			519,8	145,8			679,1	203,9										
57	276,8	109,4	365,9	122,2	453,6	157,1	540,0	169,2			706,1	235,2										
60,3	294,3	103,3	388,8	112,7	480,6	118,3	572,4	135,5			749,3	192,2	920,7	244,8	1.084,1	334,2	1.390,5	482,1	1.674,0	613,1		
63	307,8	128,3	406,4	140,2			599,4	155,2			785,7	218,5										
65	317,3	132,4	419,9	127,6																		
70	341,6	153,2	452,3	151,7	561,6	193,0	669,6	182,8			878,9	271,3			1.278,5	412,0	1.647,0	554,8	1.998,0	786,0		
73	357,8	148,7	472,5	143,6																		
76,1	372,6	154,3	494,1	148,3	612,9	179,1	730,4	177,4			959,9	250,8	1.184,0	300,2	1.404,0	397,2	1.809,0	599,3	2.200,5	763,9	2.646,0	1.042,2
80	391,5	180,6	519,8	157,7	645,3	196,1	769,5	232,2			1.012,5	285,0	1.248,8	404,2								
83			540,0	185,5			799,2	216,7			1.051,7	305,9			1.539,0	478,8						
88,9			579,2	198,4	719,6	215,0	858,6	214,2			1.131,3	304,0	1.390,5	355,9	1.660,5	480,7	2.160,0	712,6	2.632,5	851,6	3.186,0	1.195,9
90			585,9	179,2			869,4	219,3			1.144,8	311,4										
95			619,7	201,2			919,4	249,2			1.212,3	352,6										
101,6			662,9	200,6	824,9	283,4	985,5	268,6	1.174,5	344,7	1.300,1	380,0	1.606,5	511,1	1.903,5	551,0	2.497,5	767,3	3.051,0	951,6	3.712,5	1.297,5
108			706,1	225,9			1.049,0	333,7			1.390,5	389,4	1.714,5	567,2	2.038,5	624,4			3.267,0	1.130,1	3.969,0	1.392,7
114,3			747,9	226,3	930,2	319,5	1.112,4	277,0	1.327,1	361,0	1.471,5	368,3	1.822,5	473,2	2.160,0	625,2	2.835,0	794,3	3.469,5	937,0	4.239,0	1.413,9
121															2.295,0	721,5	3.010,5	990,4	3.699,0	1.269,0	4.522,5	1.664,3
127			833,0	261,0			1.238,0	345,5			1.633,5	465,9	2.025,0	594,7	2.416,5	714,3	3.172,5	943,1	3.888,0	1.112,6	4.765,5	1.578,1
133							1.298,7	391,8			1.714,5	483,4	2.133,0	704,7	2.538,0	849,0	3.334,5	1.073,4	4.090,5	1.355,2	5.022,0	1.784,4
139,7							1.363,5	356,8			1.809,0	509,2	2.241,0	720,2	2.673,0	806,4	3.510,0	985,3	4.320,0	1.164,6	5.292,0	1.554,8
152,4							1.498,5	399,2			1.971,0	562,2	2.457,0	728,5	2.929,5	913,8	3.847,5	1.176,6	4.738,5	1.466,6	5.818,5	1.963,3
159							1.552,5	496,1			2.065,5	581,4	2.565,0	830,2	3.051,0	923,3	4.023,0	1.295,0	4.954,5	1.549,8	6.102,0	2.133,6
168,3							1.647,0	466,4			2.187,0	615,5	2.713,5	736,5	3.240,0	977,5	4.266,0	1.197,5	5.265,0	1.419,4	6.480,0	1.972,5
177,8							1.741,5	547,3			2.308,5	768,9	2.875,5	984,9	3.429,0	1.099,0	4.522,5	1.455,1	5.589,0	1.756,8	6.885,0	2.197,8
193,7							1.903,5	575,2			2.524,5	710,5	3.145,5	865,5	3.753,0	1.148,1	4.941,0	1.441,8	6.115,5	1.774,1	7.546,5	2.297,1
219,1							2.160,0	623,2			2.862,0	815,0	3.564,0	1.124,9	4.252,5	1.315,0	5.616,0	1.615,7	6.966,0	2.004,1	8.599,5	2.641,9
244,5											3.199,5	902,0	3.982,5	1.158,4	4.765,5	1.437,7	6.304,5	1.886,4	7.803,0	2.408,2	9.652,5	3.188,5
273							2.700,0	773,9			3.577,5	1.097,8	4.455,0	1.406,9	5.332,5	1.744,2	7.060,5	2.321,5	8.761,5	2.954,9	10.840,5	3.825,0
323,9											4.266,0	1.445,0	5.305,5	1.675,5	6.345,0	2.075,4	8.410,5	2.730,2	10.449,0	3.451,5	12.960,0	4.572,8
355,6													5.832,0	1.832,8	6.979,5	2.269,0	9.261,0	3.193,6	11.502,0	4.074,6	14.310,0	5.338,6
406,4													6.682,5	2.100,1	7.992,0	2.601,9	10.611,0	3.659,2	13.203,0	4.677,3	16.335,0	6.094,1

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S235JRH, ACC. TO. EN10219-1

Dim. (mm)	Thickness																	
	1,5		2		2,5		3		4		5		6		8		10	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
15	79,7	29,5	99,2	36,8														
20	111,5	34,3	141,8	35,5	168,8	48,1	191,7	44,2										
25	143,1	39,3	183,6	37,9	221,4	53,2	255,2	53,0										
30	175,5	44,2	226,8	44,1	274,1	71,1	318,6	48,7	396,9	78,6								
34	201,2	74,5	260,6	96,5	317,3	86,5												
35	206,6	52,9	268,7	58,7	328,1	88,9	382,1	70,2	482,0	111,2								
38							421,2	87,9										
40	239,0	52,8	311,9	58,0	380,7	66,7	445,5	54,0	567,0	86,0	673,7	142,9						
45	270,0	100,0	353,7	71,6	433,4	120,7	509,0	90,1	652,1	173,0	779,0	252,3						
50	302,4	78,9	395,6	78,4	486,0	93,7	573,8	69,5	735,8	107,1	885,6	139,4	1.020,6	268,2				
55	333,5	123,5	438,8	162,5	540,0	200,0	637,2	191,4										
60	365,9	99,4	480,6	87,0	592,7	132,3	700,7	89,5	905,9	137,5	1.097,6	172,8	1.275,8	282,7				
70			565,7	114,2	698,0	190,1	827,6	116,9	1.076,0	178,4	1.309,5	239,1	1.525,5	317,6				
80			650,7	118,0	804,6	200,8	954,5	118,8	1.244,7	185,4	1.525,5	241,6	1.782,0	301,4	2.214,0	489,6		
90			735,8	206,6			1.081,4	176,8	1.417,5	245,5	1.728,0	392,3	2.038,5	484,8	2.551,5	696,8	3.024,0	945,3
100			819,5	164,7	1.016,6	205,9	1.209,6	150,5	1.579,5	235,2	1.944,0	307,8	2.295,0	490,2	2.889,0	643,0		
110							1.336,5	376,6	1.755,0	414,1	2.160,0	530,0	2.551,5	653,6	3.226,5	1.195,0		
120							1.458,0	195,2	1.917,0	296,5	2.362,5	387,6	2.794,5	540,4	3.564,0	812,9		
130											2.578,5	852,2	3.051,0	1.130,0				
140							1.714,5	448,9	2.268,0	423,4	2.794,5	592,3	3.307,5	853,6	4.239,0	1.151,7		
150							1.849,5	310,2	2.430,0	432,5	3.010,5	586,5	3.564,0	913,8	4.576,5	1.068,0		
160							1.971,0	628,2	2.605,5	640,5	3.213,0	789,8	3.820,5	980,5	4.927,5	1.399,0		
175							2.160,0	590,9	2.862,0	745,3	3.537,0	922,7	4.198,5	1.091,4	5.427,0	1.558,7		
180											3.645,0	896,0	4.333,5	1.112,2	5.602,5	1.590,7		
200							2.484,0	545,2	3.280,5	722,4	4.063,5	1.023,7	4.833,0	1.269,9	6.277,5	1.823,7		
220									3.618,0	1.013,7	4.482,0	1.228,3	5.346,0	1.522,9	6.952,5	2.150,6		
250									4.131,0	1.182,6	5.130,0	1.392,6	6.102,0	1.815,8	7.978,5	2.516,8		
300											6.183,0	1.776,6	7.384,5	2.735,0				

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S275J0H, ACC. TO EN10219-1

Dim. (mm)	Thickness															
	1,5		2		2,5		3		4		5		6		8	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
15	79,7	32,5	99,2	40,4												
20	111,5	42,1	141,8	45,5	168,8	49,9										
25	143,1	46,2	183,6	50,8	221,4	55,6	255,2	63,5								
30	175,5	53,3	226,8	58,3	274,1	74,1	318,6	71,1	396,9	100,6						
34	201,2	82,0	260,6	100,8	317,3	90,0										
35	206,6	62,9	268,7	75,6	328,1	97,4	382,1	82,8	482,0	141,5						
38							421,2	92,5								
40	239,0	69,6	311,9	76,4	380,7	76,5	445,5	72,1	567,0	117,5	673,7	160,4				
45	270,0	110,0	353,7	101,7	433,4	131,9	509,0	107,0	652,1	189,9						
50	302,4	104,7	395,6	106,2	486,0	117,1	573,8	101,4	735,8	148,0	885,6	191,9	1.020,6	279,4		
55	333,5	135,9	438,8	165,8	540,0	204,0										
60	365,9	114,3	480,6	113,7	592,7	147,6	700,7	128,4	905,9	187,8	1.097,6	221,5	1.275,8	372,4		
70			565,7	145,5	698,0	208,2	827,6	156,7	1.076,0	230,1	1.309,5	292,4	1.525,5	379,7		
80			650,7	161,4	804,6	209,7	954,5	171,8	1.244,7	254,4	1.525,5	326,2	1.782,0	400,3	2.214,0	678,1
90			735,8	225,7			1.081,4	204,8	1.417,5	303,1	1.728,0	385,8	2.038,5	507,4	2.551,5	725,1
100			819,5	216,3	1.016,6	217,2	1.209,6	199,8	1.579,5	322,9	1.944,0	415,7	2.295,0	481,6	2.889,0	803,3
110							1.336,5	411,2	1.755,0	433,5	2.160,0	553,8	2.551,5	681,8	3.226,5	1.225,0
120							1.458,0	276,1	1.917,0	410,0	2.362,5	527,4	2.794,5	654,1	3.564,0	984,3
125							1.525,5	345,3	2.011,5	501,6	2.470,5	642,7	2.929,5	792,5		
130											2.578,5	880,7	3.051,0	1.076,5		
140							1.714,5	442,5	2.268,0	498,9	2.794,5	664,7	3.307,5	841,1	4.239,0	1.198,6
150							1.849,5	440,3	2.430,0	585,4	3.010,5	708,9	3.564,0	953,2	4.576,5	1.322,0
160							1.971,0	650,0	2.605,5	669,3	3.213,0	825,3	3.820,5	1.022,7	4.927,5	1.453,6
175							2.160,0	678,8	2.862,0	776,9	3.537,0	961,8	4.198,5	1.137,7	5.427,0	1.618,7
180											3.645,0	882,3	4.333,5	1.095,9	5.602,5	1.652,7
200							2.484,0	646,2	3.280,5	904,4	4.063,5	1.068,7	4.833,0	1.323,3	6.277,5	1.893,1
220									3.618,0	1.053,7	4.482,0	1.277,8	5.346,0	1.582,0	6.952,5	2.227,5
250									4.131,0	1.228,3	5.130,0	1.525,3	6.102,0	1.883,2	7.978,5	2.604,9
260											5.332,5	1.620,6	6.358,5	2.001,3		
300											6.183,0	2.074,0	7.384,5	2.556,9	9.666,0	3.578,7

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY S355J2H, ACC. TO EN10219-1

Dim. (mm)	Thickness																									
	1,5		2		2,5		3		4		5		6		7		8		10		12,5		14,2		16	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
15	79,7	42,7	99,2	39,8																						
20	111,5	45,6	141,8	42,8	168,8	55,5																				
25	143,1	53,0	183,6	56,8	221,4	62,8	255,2	71,7																		
30	175,5	61,6	226,8	65,7	274,1	83,1	318,6	81,4	396,9	111,7																
34	201,2	96,6	260,6	97,1	317,3	101,5																				
35	206,6	72,6	268,7	84,3	328,1	108,1	382,1	95,3	482,0	154,9																
38							421,2	106,3																		
40	239,0	81,0	311,9	86,6	380,7	88,9	445,5	91,6	567,0	127,0	673,7	179,1														
45	270,0	119,4	353,7	113,2	433,4	146,0	509,0	123,6	652,1	208,1																
50	302,4	114,6	395,6	119,2	486,0	132,9	573,8	115,8	735,8	160,3	885,6	203,4	1.020,6	307,9												
55	333,5	149,7	438,8	158,9	540,0	192,0																				
60	365,9	126,2	480,6	136,4	592,7	175,7	700,7	146,1	905,9	202,9	1.097,6	256,2	1.275,8	398,5												
70			565,7	164,0	698,0	230,9	827,6	196,0	1.076,0	252,1	1.309,5	319,1	1.525,5	394,0												
80			650,7	182,5	804,6	235,9	954,5	195,8	1.244,7	270,7	1.525,5	334,9	1.782,0	436,8			2.214,0	618,4								
90			735,8	249,6			1.081,4	236,0	1.417,5	337,4	1.728,0	427,5	2.038,5	564,2			2.551,5	801,7	3.024,0	1.020,4						
100			819,5	243,0	1.016,6	250,3	1.209,6	252,6	1.579,5	349,4	1.944,0	426,7	2.295,0	562,6	2.578,5	784,7	2.889,0	724,0	3.456,0	1.005,7	3.928,5	1.326,8	4.252,5	1.565,0		
110							1.336,5	454,7	1.755,0	482,4	2.160,0	614,0	2.551,5	753,0			3.226,5	1.147,2	3.874,5	1.318,3	4.455,0	1.641,6	4.846,5	1.847,4		
120							1.458,0	302,0	1.917,0	449,2	2.362,5	567,1	2.794,5	711,3			3.564,0	933,4	4.293,0	1.228,3	4.981,5	1.648,1	5.454,0	1.871,1		
125																	3.739,5	1.240,7								
130											2.578,5	818,9	3.051,0	1.003,4												
140							1.714,5	523,7	2.268,0	595,7	2.794,5	732,2	3.307,5	982,3			4.239,0	1.200,8	5.143,5	1.524,5	6.048,0	1.928,8				
150							1.849,5	500,5	2.430,0	608,1	3.010,5	770,6	3.564,0	1.013,0			4.576,5	1.279,5	5.575,5	1.631,9	6.574,5	2.096,7	7.249,5	2.538,3		
160							1.971,0	612,0	2.605,5	741,9	3.213,0	914,9	3.820,5	1.058,5			4.927,5	1.426,0	5.994,0	1.813,3	7.101,0	2.439,5	7.857,0	2.799,0		
175							2.160,0	749,2	2.862,0	856,7	3.537,0	1.060,4	4.198,5	1.254,8			5.427,0	1.729,1								
180													4.333,5	1.280,8			5.602,5	1.621,4	6.844,5	2.070,6	8.167,5	2.805,9	9.058,5	3.227,1		
200							2.484,0	727,2	3.280,5	995,9	4.063,5	1.106,7	4.833,0	1.350,6			6.277,5	1.831,9	7.695,0	2.245,5	9.220,5	2.985,0	10.260,0	3.722,7		
220									3.618,0	1.154,5	4.482,0	1.402,8	5.346,0	1.731,0			6.952,5	2.217,7	8.532,0	2.801,8	10.287,0	3.790,5	11.475,0	4.384,8		
250									4.131,0	1.343,4	5.130,0	1.668,3	6.102,0	1.940,3			7.978,5	2.560,4	9.814,5	3.278,3	11.866,5	4.236,5	13.270,5	5.145,8	14.715,0	5.426,5
260																	8.316,0	2.935,2	10.233,0	3.611,8	12.406,5	4.729,1	13.905,0	5.463,8		
300											6.183,0	1.925,7	7.384,5	2.379,8			9.666,0	3.333,3	11.934,0	4.424,8	14.580,0	5.439,4	16.335,0	6.278,5	18.090,0	6.987,1

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S235JRH, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness																	
		1,5		2		2,5		3		4		5		6		8		10	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
20	10	79,7	29,5	99,2	36,8														
	15	95,6	35,4	120,4	38,6														
25	10	95,6	35,4	120,4	44,6														
	15	111,5	41,3	141,8	43,0														
	20	127,4	47,2	163,4	48,6			224,1	55,4										
30	10	111,5	37,1	141,8	52,5														
	15	127,4	47,2	163,4	35,4			224,1	63,0										
	20	143,1	38,0	183,6	38,6	221,4	68,5	255,2	57,9										
	25	159,3	59,0	205,2	58,3			287,6	94,4										
35	10	127,4	47,2	163,4	53,7														
	15	143,1	53,0	183,6	58,4														
	20	159,3	59,0	205,2	43,1			287,6	68,1										
	25	175,5	65,0	226,8	65,3	274,1	67,5	318,6	93,5										
40	10	143,1	37,9	183,6	52,1														
	15	159,3	59,0	205,2	59,6			287,6	64,5										
	20	175,5	46,4	226,8	44,9	274,1	72,6	318,6	49,3										
	25	191,7	71,0	247,1	51,6	301,1	73,7	351,0	91,2										
	27	197,1	73,0	256,5	53,4			363,2	107,7										
	30	206,6	58,6	268,7	50,6	328,1	64,2	382,1	56,8	482,0	107,8								
	35	222,8	82,5	290,3	80,6														
45	10	159,3	59,0	205,2	62,2														
	15	175,5	58,4	226,8	84,0														
	20	191,7	60,9	247,1	91,5			351,0	95,9										
	25	206,6	76,5	268,7	71,2	328,1	80,8	382,1	107,4										
	30	222,8	82,5	290,3	107,5			414,5	130,7										
	35	239,0	88,5	311,9	86,7	380,7	93,8	445,5	100,1	567,0	142,8								
50	10	175,5	50,4	226,8	64,4														
	15	191,7	71,0	247,1	71,9														
	20	206,6	58,7	268,7	54,7	328,1	83,1	382,1	75,3										
	25	222,8	61,9	290,3	58,6	353,7	63,3	414,5	76,1										
	30	239,0	88,5	311,9	56,4	380,7	74,8	445,5	62,9	567,0	105,8								
	35	255,2	94,5	332,1	87,4			477,9	107,4										
	40	270,0	84,8	353,7	79,0	433,4	95,9	509,0	90,1	652,1	140,2	779,0	257,4						
60	10	206,6	76,5	268,7	81,3														
	15	222,8	82,5	290,3	107,5			414,5	100,9										
	20	239,0	88,5	311,9	66,5	380,7	89,1	445,5	77,4										
	25	255,2	84,9	332,1	98,7	406,4	100,1	477,9	130,2										
	30	270,0	100,0	353,7	66,2	433,4	105,1	509,0	75,0	652,1	140,2								
	40	302,4	84,0	395,6	73,6	486,0	92,3	573,8	69,5	735,8	117,1	885,6	187,9	1.020,6	268,2				
	50	333,5	109,1	438,8	124,8	540,0	131,7	637,2	140,6	820,8	214,7	990,9	305,6	1.147,5	337,7				
	70	365,9	116,0	480,6	131,2	592,7	170,2	700,7	119,8	905,9	163,6	1.097,6	301,6						
70	20	270,0	100,0	353,7	102,0	433,4	142,2	509,0	117,5										
	25	286,2	106,0	375,3	106,5														
	30	302,4	112,0	395,6	107,4	486,0	139,6	573,8	106,6	735,8	199,7								
	35			428,0	132,4			604,8	126,9										
	40	333,5	123,5	438,8	120,5	540,0	156,4	637,2	111,0	820,8	174,2	990,9	287,5						
	50	365,9	116,0	480,6	131,2	592,7	170,2	700,7	119,8	905,9	163,6	1.097,6	301,6						

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S235JRH, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness																	
		1,5		2		2,5		3		4		5		6		8		10	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
80	15	291,6	108,0	384,8	142,5														
	20	302,4	79,1	395,6	86,9			573,8	152,8										
	25							604,8	145,3										
	30	333,5	123,5	438,8	103,0	540,0	156,4	637,2	114,9	820,8	212,0								
	40	365,9	135,5	480,6	87,0	592,7	116,4	700,7	89,5	905,9	150,2	1.097,6	215,2	1.275,8	343,6				
	50	398,3	128,8	523,8	116,9	645,3	179,7	764,1	107,0	990,9	163,0	1.202,9	225,4	1.404,0	395,3				
	60	429,3	136,0	565,7	122,6	698,0	200,5	827,6	123,0	1.076,0	186,3	1.309,5	248,8	1.525,5	412,3				
90	30			480,6	178,0	592,7	161,0	700,7	170,6	905,9	335,5								
	40			523,8	173,3			764,1	162,0	990,9	240,3	1.202,9	445,5						
	50			565,7	151,8			827,6	158,1	1.076,0	207,4	1.309,5	277,3	1.525,5	565,0				
	60			618,3	176,3			891,0	194,3	1.159,7	379,4	1.417,5	525,0	1.660,5	615,0				
100	20			480,6	108,6			700,7	199,3										
	30			523,8	111,7			764,1	165,6	990,9	252,9	1.202,9	445,5						
	40			565,7	119,8	698,0	200,5	827,6	123,0	1.076,0	200,8	1.309,5	346,2	1.525,5	565,0				
	50			607,5	112,4	752,0	191,9	891,0	116,4	1.159,7	188,4	1.417,5	236,6	1.660,5	484,2				
	60			650,7	175,3	804,6	228,5	954,5	138,8	1.244,7	202,2	1.525,5	273,5	1.782,0	474,1	2.214,0	820,0		
	80			735,8	193,0			1.081,4	192,8	1.417,5	287,5	1.728,0	384,6	2.038,5	484,8	2.551,5	945,0		
110	50			660,2	177,6			954,5	240,5	1.244,7	399,7	1.525,5	384,4						
120	30			618,3	181,5			891,0	235,8	1.159,7	361,4								
	40			650,7	136,6			954,5	168,2	1.244,7	275,8	1.525,5	384,4	1.782,0	660,0				
	50			703,4	260,5			1.017,9	206,1	1.329,8	372,8	1.633,5	457,3	1.917,0	710,0				
	60			735,8	167,2			1.081,4	144,8	1.417,5	235,0	1.728,0	302,7	2.038,5	518,9	2.551,5	792,8		
	80			819,5	250,0	1.016,6	244,1	1.209,6	199,3	1.579,5	251,4	1.944,0	356,5	2.295,0	531,8	2.889,0	861,0	3.456,0	1.280,0
	100							1.336,5	314,7	1.755,0	384,0	2.160,0	580,8	2.551,5	713,6	3.226,5	1.195,0		
130	50			745,2	276,0			1.081,4	344,7	1.417,5	343,8	1.728,0	492,3						
140	40			745,2	202,5			1.081,4	258,2	1.417,5	428,5	1.728,0	457,3	2.038,5	612,4				
	50							1.144,8	268,0										
	60			819,5	260,4			1.209,6	242,5	1.579,5	363,4	1.944,0	441,3	2.295,0	617,1	2.889,0	897,7		
	70							1.273,1	313,5	1.674,0	494,4	2.052,0	529,5	2.416,5	616,2	3.051,0	1.130,0		
	80							1.336,5	224,8	1.755,0	299,4	2.160,0	420,8	2.551,5	563,6	3.226,5	1.037,5		
150	30			745,2	195,7			1.081,4	303,0	1.417,5	367,5	1.728,0	467,9						
	40			787,1	291,5			1.144,8	424,0	1.498,5	426,9	1.836,0	680,0						
	50			819,5	235,1			1.209,6	197,7	1.579,5	321,0	1.944,0	381,2	2.295,0	631,1	2.889,0	915,4		
	60							1.273,1	305,7	1.674,0	404,4	2.052,0	760,0	2.416,5	712,3				
	100							1.525,5	253,4	2.011,5	338,9	2.470,5	439,4	2.929,5	769,8	3.739,5	1.132,1		
160	60							1.336,5	305,6	1.755,0	399,7	2.160,0	511,2	2.551,5	720,3				
	80							1.458,0	238,2	1.917,0	332,0	2.362,5	431,3	2.794,5	664,6	3.564,0	1.102,5		
180	60							1.458,0	282,5	1.917,0	524,4	2.362,5	553,0	2.794,5	772,4	3.564,0	1.146,0		
	80							1.593,0	279,6	2.092,5	575,4	2.578,5	517,1	3.051,0	803,1	3.901,5	1.445,0		
	100							1.714,5	449,7	2.268,0	594,3	2.794,5	739,5	3.307,5	911,1	4.239,0	1.283,3		
200	80							1.714,5	445,3	2.268,0	621,0	2.794,5	732,3	3.307,5	953,1	4.239,0	1.570,0		
	100							1.849,5	355,9	2.430,0	432,2	3.010,5	564,2	3.564,0	771,4	4.576,5	1.301,6		
	120							1.971,0	537,8	2.605,5	715,9	3.213,0	842,0	3.820,5	1.100,9	4.927,5	1.554,4		
	150							2.160,0	532,0	2.862,0	772,2	3.537,0	956,0	4.198,5	1.184,2	5.427,0	1.711,9		
220	120									2.767,5	880,8								
250	100							2.160,0	604,1	2.862,0	645,0	3.537,0	903,6	4.198,5	1.184,2	5.427,0	1.711,9		
	150									3.280,5	897,4	4.063,5	1.113,6	4.833,0	1.376,8	6.277,5	1.980,2		
300	100									3.280,5	773,3	4.063,5	941,1	4.833,0	1.350,7	6.277,5	1.980,2		
	150									3.699,0	1.062,8	4.590,0	1.344,2	5.467,5	1.693,8	7.128,0	2.640,0		
	200									4.131,0	1.110,8	5.130,0	1.548,2	6.102,0	1.910,4	7.978,5	2.955,0		
350	150													6.102,0	1.950,6				

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S275J0H, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness															
		1,5		2		2,5		3		4		5		6		8	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
20	10	79,7	32,5	99,2	37,9												
	15	95,6	37,2	120,4	39,9												
25	10	95,6	38,9	120,4	49,1												
	15	111,5	45,4	141,8	44,6												
	20	127,4	51,9	163,4	50,3												
30	10	111,5	45,4	141,8	51,2												
	15	127,4	50,3	163,4	49,2												
	20	143,1	47,0	183,6	50,1	221,4	70,9	255,2	72,0								
	25	159,3	64,9	205,2	60,5												
35	10	127,4	51,9	163,4	55,5												
	15	143,1	58,3	183,6	60,4												
	20	159,3	62,1	205,2	60,5												
	25	175,5	71,5	226,8	74,6	274,1	70,5										
40	10	143,1	50,1	183,6	54,2												
	15	159,3	64,9	205,2	69,5												
	20	175,5	54,9	226,8	58,3	274,1	75,7	318,6	67,0								
	25	191,7	78,1	247,1	72,6	301,1	77,1	351,0	100,2								
	27	197,1	80,3	256,5	75,4			363,2	111,7								
	30	206,6	76,3	268,7	67,5	328,1	67,7	382,1	72,4								
	35	222,8	78,0	290,3	83,8												
45	10	159,3	58,8	205,2	64,5												
	15	175,5	60,4	226,8	84,7												
	20	191,7	63,0	247,1	89,3												
	25	206,6	84,2	268,7	74,2	328,1	84,6	382,1	111,6								
	30	222,8	90,8	290,3	108,4			414,5	135,3								
	35	239,0	83,6	311,9	90,1	380,7	98,0	445,5	105,0	567,0	149,1						
50	10	175,5	61,5	226,8	66,9												
	15	191,7	78,1	247,1	74,5												
	20	206,6	67,1	268,7	72,5	328,1	86,7	382,1	85,2								
	25	222,8	70,9	290,3	70,4	353,7	72,5	414,5	83,8								
	30	239,0	94,9	311,9	73,7	380,7	73,3	445,5	84,4	567,0	133,1						
	35	255,2	89,3	332,1	95,9			477,9	112,7								
	40	270,0	87,8	353,7	93,4	433,4	100,7	509,0	107,0	652,1	147,4						
60	10	206,6	84,2	268,7	84,3												
	15	222,8	90,8	290,3	103,9												
	20	239,0	97,4	311,9	86,1	380,7	93,3	445,5	102,1								
	25	255,2	87,8	332,1	109,7	406,4	98,6	477,9	135,5								
	30	270,0	109,0	353,7	80,5	433,4	97,1	509,0	99,5	652,1	157,1						
	40	302,4	109,7	395,6	91,1	486,0	90,4	573,8	101,4	735,8	152,5	885,6	197,7	1.020,6	279,4		
	50	333,5	112,6	438,8	145,9	540,0	137,7	637,2	157,1	820,8	236,0			1.147,5	350,4		
70	20	270,0	110,0	353,7	132,1	433,4	147,0										
	25	286,2	101,9	375,3	110,7												
	30	302,4	123,2	395,6	117,6	486,0	137,7	573,8	125,6	735,8	207,9						
	40	333,5	135,9	438,8	131,9	540,0	154,3	637,2	122,8	820,8	183,2	990,9	320,5	1.147,5	429,2		
	50	365,9	120,0	480,6	150,8	592,7	176,7	700,7	143,1	905,9	207,1	1.097,6	329,9				
80	20	302,4	104,9	395,6	111,8			573,8	167,6								
	25							604,8	151,9								
	30	333,5	135,9	438,8	114,4	540,0	162,3	637,2	136,1	820,8	233,2						
	40	365,9	148,7	480,6	113,7	592,7	114,2	700,7	128,4	905,9	193,7	1.097,6	268,0	1.275,8	357,7		
	50	398,3	133,2	523,8	138,3	645,3	196,4	764,1	149,4	990,9	217,9	1.202,9	301,0	1.404,0	410,9		
	60	429,3	140,8	565,7	145,5	698,0	208,2	827,6	156,7	1.076,0	230,1	1.309,5	292,4	1.525,5	406,6		

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S275J0H, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness															
		1,5		2		2,5		3		4		5		6		8	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
90	30			480,6	168,7	592,7	167,6	700,7	178,3	905,9	335,0						
	40			523,8	179,2			764,1	170,4	990,9	251,3	1.202,9	425,6				
	50			565,7	158,1			827,6	179,5	1.076,0	259,2	1.309,5	388,7	1.525,5	587,1		
	60													1.660,5	646,1		
100	20			480,6	149,5			700,7	233,1								
	30			523,8	156,2			764,1	196,6	990,9	263,9						
	40			565,7	159,5	698,0	208,2	827,6	156,7	1.076,0	252,6	1.309,5	380,2	1.525,5	567,7		
	50			607,5	164,1	752,0	200,2	891,0	165,8	1.159,7	244,1	1.417,5	320,5	1.660,5	564,0		
	60			650,7	201,7	804,6	237,4	954,5	177,6	1.244,7	262,1	1.525,5	358,1	1.782,0	493,8	2.214,0	807,2
	80			735,8	201,1			1.081,4	204,8	1.417,5	303,1	1.728,0	480,5	2.038,5	477,2	2.551,5	932,7
120	30							891,0	245,6								
	40			650,7	182,3			954,5	207,0	1.244,7	308,0	1.525,5	401,2	1.782,0	684,1		
	50							1.017,9	255,0	1.329,8	407,3	1.633,5	596,3	1.917,0	726,9		
	60			735,8	197,1			1.081,4	204,8	1.417,5	303,1	1.728,0	385,8	2.038,5	541,4	2.551,5	821,1
	80			819,5	259,1	1.016,6	255,4	1.209,6	221,7	1.579,5	350,8	1.944,0	421,2	2.295,0	557,2	2.889,0	893,0
	100							1.336,5	309,7	1.755,0	533,4	2.160,0	604,6	2.551,5	741,8	3.226,5	1.170,3
140	40							1.081,4	270,1	1.417,5	444,1	1.728,0	476,4	2.038,5	634,9		
	50							1.144,8	280,6								
	60			819,5	269,4			1.209,6	255,8	1.579,5	451,1	1.944,0	462,8	2.295,0	608,4	2.889,0	929,7
	70							1.273,1	327,6	1.674,0	574,9	2.052,0	552,2	2.416,5	678,8	3.051,0	1.093,7
	80							1.336,5	318,8	1.755,0	396,8	2.160,0	508,6	2.551,5	629,7	3.226,5	1.073,2
150	30			745,2	259,1			1.081,4	314,9	1.417,5	488,1	1.728,0	487,0				
	50			819,5	274,5			1.209,6	273,7	1.579,5	361,9	1.944,0	474,7	2.295,0	656,5	2.889,0	947,3
	60							1.273,1	319,8	1.674,0	422,9	2.052,0	719,2	2.416,5	739,0		
	70							1.336,5	360,9					2.551,5	800,7		
	75							1.363,5	369,5	1.795,5	522,9	2.214,0	670,8	2.605,5	805,4		
	100							1.525,5	383,3	2.011,5	480,3	2.470,5	649,7	2.929,5	758,7	3.739,5	1.173,5
160	60							1.336,5	399,6	1.755,0	471,1	2.160,0	599,1	2.551,5	937,5		
	80							1.458,0	329,9	1.917,0	438,4	2.362,5	527,4	2.794,5	654,1	3.564,0	1.141,9
	120									2.268,0	615,7	2.794,5	812,5	3.307,5	969,5		
180	60							1.458,0	352,6	1.917,0	574,0	2.362,5	579,1	2.794,5	803,3	3.564,0	1.185,4
	80							1.593,0	368,0	2.092,5	598,6	2.578,5	603,0	3.051,0	791,7	3.901,5	1.349,1
	100							1.714,5	468,6	2.268,0	653,0	2.794,5	729,0	3.307,5	898,7		
	120							1.849,5	526,4	2.430,0	715,7	3.010,5	845,6	3.564,0	1.042,9		
200	80							1.714,5	489,6	2.268,0	679,7	2.794,5	804,6	3.307,5	989,7	4.239,0	1.569,5
	100							1.849,5	458,6	2.430,0	603,1	3.010,5	708,9	3.564,0	1.022,0	4.576,5	1.487,7
	120							1.971,0	588,8	2.605,5	783,3	3.213,0	877,5	3.820,5	1.086,5	4.927,5	1.608,8
	150							2.160,0	555,9	2.862,0	803,9	3.537,0	942,7	4.198,5	1.168,4	5.427,0	1.771,9
220	120									2.767,5	911,4			4.077,0	1.319,6		
250	100							2.160,0	692,0			3.537,0	995,1	4.198,5	1.230,6	5.427,0	1.771,9
	150									3.280,5	933,7	4.063,5	1.158,5	4.833,0	1.430,2	6.277,5	2.049,6
260	140													4.833,0	1.550,7		
300	100									3.280,5	955,3	4.063,5	1.196,7	4.833,0	1.404,1	6.277,5	2.049,6
	150									3.699,0	1.240,7	4.590,0	1.395,0	5.467,5	1.754,3	7.128,0	2.461,4
	200									4.131,0	1.278,8	5.130,0	1.604,9	6.102,0	1.977,9	7.978,5	2.781,3
400	200											6.183,0	2.071,1	7.384,5	2.553,4		

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S355J2H, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness																							
		1,5		2		2,5		3		4		5		6		8		10		12,5		14,2		16	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
20	10	79,7	38,5	99,2	35,9																				
	15	95,6	40,3	120,4	37,6																				
25	10	95,6	49,0	120,4	48,6																				
	15	111,5	51,3	141,8	49,2																				
	20	127,4	60,9	163,4	55,7																				
30	10	111,5	50,1	141,8	48,4																				
	15	127,4	54,4	163,4	54,6																				
	20	143,1	51,6	183,6	56,1	221,4	66,6	255,2	80,4																
	25	159,3	75,4	205,2	67,2																				
35	10	127,4	65,0	163,4	52,3																				
	15	143,1	66,0	183,6	56,8																				
	20	159,3	67,3	205,2	67,2																				
	25	175,5	93,6	226,8	70,2	274,1	79,4																		
40	10	143,1	54,7	183,6	60,1																				
	15	159,3	72,4	205,2	65,6																				
	20	175,5	60,5	226,8	65,7	274,1	84,6	318,6	77,4																
	25	191,7	85,5	247,1	80,7	301,1	86,9	351,0	111,7																
	27	197,1	88,4	256,5	83,6			363,2	123,5																
	30	206,6	82,9	268,7	76,3	328,1	78,5	382,1	90,4	482,0	126,6														
	35	222,8	85,2	290,3	93,3																				
45	10	159,3	64,0	205,2	71,2																				
	15	175,5	66,1	226,8	80,3																				
	20	191,7	69,3	247,1	84,5																				
	25	206,6	93,9	268,7	82,9	328,1	95,1	382,1	124,1																
	30	222,8	104,1	290,3	102,8			414,5	127,3																
	35	239,0	91,4	311,9	100,2	380,7	110,4	445,5	119,5	567,0	164,9														
50	10	175,5	67,1	226,8	74,3																				
	15	191,7	90,2	247,1	82,7																				
	20	206,6	73,9	268,7	81,3	328,1	97,4	382,1	97,7																
	25	222,8	78,2	290,3	84,2	353,7	89,2	414,5	103,4																
	30	239,0	102,6	311,9	88,5	380,7	91,4	445,5	105,5	567,0	148,9														
	35	255,2	97,7	332,1	106,7			477,9	128,2																
	40	270,0	96,6	353,7	104,8	433,4	114,8	509,0	123,6	652,1	175,3														
60	10	206,6	100,5	268,7	93,0																				
	15	222,8	105,5	290,3	98,3																				
	20	239,0	107,1	311,9	96,3	380,7	105,7	445,5	116,6																
	25	255,2	96,0	332,1	108,2	406,4	117,8	477,9	158,1																
	30	270,0	117,8	353,7	102,6	433,4	124,0	509,0	123,6	652,1	175,3														
	40	302,4	119,5	395,6	109,8	486,0	113,5	573,8	128,6	735,8	164,8	885,6	219,1	1.020,6	307,9										
	50	333,5	123,7	438,8	137,5	540,0	155,3	637,2	177,8	820,8	258,9			1.147,5	382,3										
70	20	270,0	127,0	353,7	125,3	433,4	138,6																		
	25	286,2	111,2	375,3	123,0																				
	30	302,4	134,6	395,6	130,5	486,0	160,8	573,8	152,9	735,8	239,3														
	40	333,5	149,5	438,8	146,2	540,0	179,9	637,2	152,9	820,8	218,3	990,9	311,4												
	50	365,9	131,9	480,6	166,5	592,7	196,1	700,7	165,9	905,9	232,4	1.097,6	360,6												
80	20	302,4	114,7	395,6	124,7			573,8	186,3																
	25							604,8	171,7																
	30	333,5	149,5	438,8	128,7	540,0	179,9	637,2	156,9	820,8	256,1														
	40	365,9	160,6	480,6	136,4	592,7	142,3	700,7	148,7	905,9	205,5	1.097,6	278,2	1.275,8	393,3										
	50	398,3	146,2	523,8	155,3	645,3	217,4	764,1	185,6	990,9	260,3	1.202,9	312,3	1.404,0	450,0										
	60	429,3	154,7	565,7	164,0	698,0	230,9	827,6	196,0	1.076,0	276,0	1.309,5	319,1	1.525,5	471,7										

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY S355J2H, ACC. TO EN10219-1

Side A (mm)	Side B (mm)	Thickness																								
		1,5		2		2,5		3		4		5		6		8		10		12,5		14,2		16		
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	
90	30			480,6	159,4	592,7	186,9	700,7	201,1	905,9	313,2															
	40			523,8	169,1			764,1	195,3	990,9	278,9	1.202,9	396,7													
	50			565,7	176,5			827,6	206,5	1.076,0	289,2	1.309,5	401,0	1.525,5	542,4											
	60									1.159,7	364,4			1.660,5	590,4											
100	20			480,6	165,1			700,7	219,5																	
	30			523,8	173,3			764,1	221,5	990,9	291,5															
	40			565,7	186,4	698,0	230,9	827,6	196,0	1.076,0	282,6	1.309,5	416,6	1.525,5	531,1											
	50			607,5	183,9	752,0	224,8	891,0	191,5	1.159,7	272,2	1.417,5	349,5	1.660,5	524,2											
	60			650,7	223,0	804,6	263,5	954,5	222,8	1.244,7	315,2	1.525,5	366,8	1.782,0	543,4	2.214,0	719,6									
	80			735,8	225,1			1.081,4	256,0	1.417,5	363,7	1.728,0	490,2	2.038,5	564,2	2.551,5	819,9									
120	30							891,0	274,6																	
	40			650,7	213,1			954,5	238,1	1.244,7	319,7	1.525,5	443,7	1.782,0	633,6											
	50							1.017,9	303,3	1.329,8	419,7	1.633,5	557,2	1.917,0	680,9											
	60			735,8	232,0			1.081,4	256,0	1.417,5	332,2	1.728,0	421,1	2.038,5	583,1	2.551,5	780,5									
	80			819,5	243,3	1.016,6	288,5	1.209,6	279,0	1.579,5	365,6	1.944,0	461,0	2.295,0	621,1	2.889,0	859,2	3.456,0	1.249,1							
	100							1.336,5	373,0	1.755,0	582,3	2.160,0	664,8	2.551,5	813,0	3.226,5	1.147,2									
140	40							1.081,4	305,4	1.417,5	483,7	1.728,0	524,6	2.038,5	691,7											
	50							1.144,8	317,9																	
	60			819,5	253,6			1.209,6	313,1	1.579,5	495,1	1.944,0	517,0	2.295,0	706,4	2.889,0	969,4									
	70							1.273,1	369,1	1.674,0	534,7	2.052,0	609,4	2.416,5	746,1	3.051,0	1.077,7									
	80							1.336,5	362,3	1.755,0	471,7	2.160,0	560,8	2.551,5	738,5	3.226,5	1.047,4									
150	30			745,2	244,7			1.081,4	350,1	1.417,5	454,2	1.728,0	535,2													
	50			819,5	258,7			1.209,6	313,1	1.579,5	405,9	1.944,0	528,9	2.295,0	720,4	2.889,0	988,4									
	60							1.273,1	361,3	1.674,0	469,6	2.052,0	670,0	2.416,5	806,3											
	75															3.307,5	1.176,0									
	100							1.525,5	432,9	2.011,5	528,9	2.470,5	663,7	2.929,5	883,8	3.739,5	1.115,9	4.509,0	1.561,3	5.251,5	2.033,8					
160	60							1.336,5	462,9	1.755,0	546,0	2.160,0	691,3	2.551,5	876,3											
	80							1.458,0	377,4	1.917,0	449,2	2.362,5	584,6	2.794,5	773,4	3.564,0	1.085,3									
	90															3.739,5	1.329,6									
	120															4.239,0	1.507,2									
180	60							1.458,0	400,1	1.917,0	655,9	2.362,5	644,9	2.794,5	881,2	3.564,0	1.236,1									
	80							1.593,0	467,1	2.092,5	718,9	2.578,5	703,4	3.051,0	921,9	3.901,5	1.299,7	4.725,0	1.814,4							
	100							1.714,5	524,5	2.268,0	716,2	2.794,5	796,5	3.307,5	1.039,8	4.239,0	1.443,6	5.143,5	1.800,0							
	120															4.576,5	1.472,4	5.575,5	1.897,1	6.574,5	2.422,6					
200	80							1.714,5	545,5	2.268,0	742,9	2.794,5	882,5	3.307,5	1.081,9	4.239,0	1.507,2									
	100							1.849,5	518,8	2.430,0	661,8	3.010,5	770,6	3.564,0	1.094,9	4.576,5	1.381,2	5.575,5	1.627,0	6.574,5	2.177,1					
	120							1.971,0	653,0	2.605,5	855,9	3.213,0	1.014,7	3.820,5	1.178,9	4.927,5	1.599,6	5.994,0	2.024,3	7.101,0	2.663,3					
	150							2.160,0	626,2	2.862,0	883,6	3.537,0	1.093,7	4.198,5	1.347,6	5.427,0	1.815,0	6.628,5	2.279,1	7.897,5	3.010,4					
220	120									2.767,5	845,1					5.265,0	1.872,0	6.412,5	2.284,5	7.627,5	2.936,1	8.464,5	3.357,9			
250	100							2.160,0	650,4	2.862,0	883,6	3.537,0	1.028,2	4.198,5	1.269,9	5.427,0	1.815,0	6.628,5	2.279,1	7.897,5	3.010,4					
	150									3.280,5	1.025,1	4.063,5	1.196,5	4.833,0	1.475,4	6.277,5	2.132,7	7.695,0	2.614,2	9.220,5	3.461,0	10.260,0	4.171,5			
260	140															6.277,5	2.232,0	7.695,0	2.860,8	9.220,5	3.688,1	10.260,0	4.301,8			
300	100									3.280,5	1.046,8	4.063,5	1.310,0	4.833,0	1.520,9	6.277,5	2.232,0	7.695,0	2.837,7	9.220,5	3.266,4	10.260,0	4.301,8			
	150									3.699,0	1.152,0	4.590,0	1.522,9	5.467,5	1.623,2	7.128,0	2.534,4	8.748,0	3.388,1	10.543,5	3.735,1	11.772,0	4.930,2			
	200									4.131,0	1.394,0	5.130,0	1.747,9	6.102,0	1.831,6	7.978,5	2.792,2	9.814,5	3.490,7	11.866,5	4.449,3	13.270,5	5.432,9			
350	150														6.102,0	1.871,8	7.978,5	2.836,8	9.814,5	3.708,8						
400	200														7.384,5	2.376,4	9.666,0	3.333,3	11.934,0	4.227,7	14.580,0	5.411,9	16.335,0	6.279,9	18.090,0	6.981,4

WELDED TUBES

round, square and rectangular tubes
cold-formed from black hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED DOOR AND WINDOW FRAME TUBES - QUALITY E235CR1S1, ACC. TO EN10305-3

Dimensions (mm)	Thickness			
	1,5		2	
	base	extra	base	extra
10A	172,8	64,0		
11A	182,3	67,5		
11B	217,4	80,5		
11C	217,4	80,5		
14A	241,7	89,5		
15A	267,3	99,0		
15T	317,3	117,5		
15Z	317,3	117,5		
16A	307,8	114,0		
16B	307,8	114,0		
16D			619,7	193,1
16Z	341,6	126,5		
1A	232,2	86,0		
1B	291,6	108,0		
1C	267,3	99,0		
2A	241,7	89,5		
2B	252,5	93,5		
2D			492,8	153,8
2N	307,8	114,0		
2T	307,8	114,0		
2Z	252,5	93,5		
SF1B	291,6	108,0		
SF2B	341,6	126,5		
SF3B	341,6	126,5		

CARBON STEEL WELDED TUBES

PRICE LIST

Round, square and rectangular
from hot rolled carbon steel, black, pickled
and "Sendzmir" galvanized

Rev. 15 • September 28, 2026

ROUND, SQUARE AND RECTANGULAR TUBES COLD-FORMED FROM PICKLED HOT-ROLLED STEEL according to EN 10305-3

TUBES SUITABLE FOR HOT-DIP GALVANIZATION

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

STANDARD FEATURES

Steel grade: E220+CR2S2

Surface: Pickled

Bar length: 6,000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

The **final price** is determined by the sum of the **base price**, to which the agreed commercial discount is applied, and the applicable **fixed extra** charge, which is not subject to discount.

LOGISTICS EFFICIENCY DISCOUNT

For orders of at least
3 bundles/item of 6 m
or **2 bundles/item of 12 m**,
shipped on a single vehicle,
a **discount of €12/ton**
will be applied directly
to the invoice.

MELTED AND POURED

The *Melted and Poured*
certificate is subject
to an additional charge,
the amount of which
will be commercially agreed
based on the volumes
covered by the request.

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES QUALITY E220+CR252, ACC. TO EN10305-3

Diameter (mm)	Thickness									
	1,5		2		2,5		3		4	
	base	extra	base	extra	base	extra	base	extra	base	extra
12	52,4	26,6								
13	57,4	32,5								
14	62,4	30,5	79,9	35,8						
15	67,4	32,6								
16	72,4	33,0	93,3	34,6						
17	77,4	34,6								
18	82,4	30,0	106,5	35,6						
19	87,3	35,3	113,3	45,1						
20	92,3	32,3	119,9	45,8						
21,3			128,5	37,0	156,6	49,8				
22	102,3	33,5	133,2	37,9						
25	117,3	33,7	152,6	46,8	187,7	57,3	220,1	70,8		
26	122,3	48,6	159,3	57,1	195,8	61,8				
26,9			166,1	57,6	202,5	65,3	239,0	77,2		
28	132,3	38,7	172,8	46,5	212,0	63,8	249,8	69,0		
29	137,7	54,2	179,6	63,8						
30	141,8	50,7	186,3	44,1	229,5	67,9	270,0	73,5		
32	152,6	51,4	199,8	60,1	245,7	73,0	290,3	91,3		
33,7			210,6	52,6	259,2	76,0	306,5	91,4		
35	167,4	57,0	220,1	55,1	270,0	79,8	320,0	98,4		
38	182,3	63,6	240,3	80,2	295,7	85,9	349,7	109,2		
40	191,7	63,8	252,5	76,1	311,9	94,8	369,9	100,9		
42	202,5	67,0	266,0	72,5	329,4	99,4				
42,4			268,7	77,7	332,1	96,7	394,2	123,1		
43	207,9	81,8	272,7	96,9						
45	217,4	84,8	286,2	86,2	353,7	107,2	419,9	129,7		
48	232,2	70,0	306,5	79,1	379,4	109,7				
48,3			307,8	89,0	380,7	111,0	452,3	139,3	590,0	197,2
50	241,7	71,9	320,0	80,9	395,6	119,8	469,8	125,5	612,9	205,2
54			345,6	124,7						
55	267,3	97,9	352,4	125,3						
57	276,8	104,1	365,9	121,9	453,6	152,0				
60	291,6	83,7	386,1	97,0	479,3	140,3				
60,3			388,8	111,5	480,6	140,3	572,4	176,8	749,3	257,5
63	307,8	127,1	406,4	170,4						
65	317,3	131,7	419,9	156,3						
70	341,6	123,5	452,3	139,3	561,6	170,3	669,6	178,3	878,9	301,2
73	357,8	147,7	472,5	176,6						
75	367,2	152,3	486,0	181,4						
76	372,6	142,8	492,8	148,6	611,6	136,4				
76,1			494,1	167,9	612,9	181,8	730,4	225,2	959,9	329,9
80	391,5	158,0	519,8	166,0	645,3	177,3	769,5	194,6	1.012,5	357,0
83	407,7	155,9	540,0	183,8						
88,9			579,2	207,7	719,6	244,9	858,6	297,1	1.131,3	414,8
95	467,1	179,0	619,7	211,5						
101,6			662,9	230,6	824,9	236,1	985,5	287,7	1.300,1	408,2
108	531,9	211,1	706,1	255,6			1.049,0	363,4	1.390,5	508,0
114,3			747,9	279,2	930,2	331,9	1.112,4	401,7	1.471,5	533,4
127			833,0	349,7			1.238,0	439,4	1.633,5	617,5
159			1.044,9	327,6						

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES QUALITY E220+CR2S2, ACC. TO EN10305-3

Dimension (mm)	Thickness									
	1,5		2		2,5		3		4	
	base	extra	base	extra	base	extra	base	extra	base	extra
10	53,6	32,1								
12	66,3	34,4								
14	79,0	39,9								
15	85,3	45,3	109,4	51,4						
16	91,7	40,1	117,9	51,6						
18	104,4	47,1	134,7	55,0						
20	117,2	45,2	151,2	48,7	183,6	69,7				
22	129,9	53,1	168,8	71,5						
25	148,5	52,2	194,4	55,7	237,6	73,2	259,2	90,3		
28	167,4	75,6	220,1	94,1						
30	180,9	52,0	236,3	60,9	290,3	87,8	322,7	97,8		
32	193,1	79,4	253,8	98,6						
34	206,6	109,7	270,0	117,8	332,1	137,1				
35	212,0	80,5	279,5	95,3	342,9	119,3	386,1	129,1		
40	244,4	62,9	321,3	65,2	395,6	102,3	449,6	122,9	567,0	193,8
45	276,8	99,9	363,2	120,6	449,6	144,9	514,4	167,1		
50	307,8	103,5	406,4	109,3	502,2	152,3	577,8	171,0	743,9	250,1
55	340,2	146,8	448,2	202,3	554,9	222,3				
60	371,3	109,2	491,4	116,3	607,5	187,1	704,7	224,6	912,6	300,3
70	434,7	171,5	575,1	188,2	714,2	221,9	831,6	285,8	1.082,7	400,1
75	467,1	193,7	618,3	243,6						
80	498,2	195,6	660,2	180,1	819,5	264,2	958,5	315,5	1.252,8	437,6
90			745,2	275,7			1.081,4	384,3	1.417,5	497,8
100			830,3	268,1	1.031,4	328,3	1.213,7	399,9	1.593,0	570,0

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness									
		1,5		2		2,5		3		4	
		base	extra	base	extra	base	extra	base	extra	base	extra
20	10	85,3	41,5	109,4	50,1						
	15	101,3	37,7	130,5	50,5						
25	10	101,3	43,0	130,5	57,5						
	15	117,2	45,6	151,2	54,4						
	20	133,0	55,4	172,8	53,7						
30	10	117,2	45,4	151,2	62,4						
	15	133,0	46,6	172,8	57,9						
	20	148,5	54,6	194,4	50,2	237,6	62,1	259,2	104,2		
	25	164,7	66,4	216,0	75,7						
35	10	133,0	59,5	172,8	64,3						
	15	148,5	59,7	194,4	71,2						
	20	164,7	70,3	216,0	65,6						
	25	180,9	94,4	236,3	84,8	290,3	99,4				
40	10	148,5	50,9	194,4	69,1						
	15	164,7	61,4	216,0	72,8						
	20	180,9	52,0	236,3	64,4	290,3	96,4	322,7	89,9		
	25	197,1	74,4	257,9	88,0	317,3	108,7				
	27	202,5	77,9	266,0	87,2						
	30	212,0	77,6	279,5	74,3	342,9	114,6	386,1	108,6		
	35	228,2	88,6	299,7	102,7						
45	10	164,7	63,6	216,0	73,1						
	15	180,9	66,0	236,3	83,4						
	20	197,1	73,2	257,9	89,9						
	25	212,0	84,9	279,5	85,3	342,9	120,3				
	30	228,2	97,9	299,7	118,8						
	35	244,4	87,7	321,3	100,9	395,6	129,6				
50	10	180,9	59,7	236,3	80,7						
	15	197,1	79,6	257,9	95,1						
	20	212,0	67,6	279,5	92,1	342,9	114,6	386,1	138,9		
	25	228,2	72,7	299,7	83,5	369,9	120,5	418,5	156,0		
	30	244,4	78,4	321,3	73,9	395,6	114,7	449,6	124,2	567,0	211,9
	35	260,6	97,9	342,9	113,2						
	40	276,8	85,6	363,2	97,7			509,0	148,2		
60	10	212,0	90,4	279,5	104,1						
	15	228,2	92,5	299,7	120,7						
	20	244,4	83,2	321,3	83,9	395,6	119,8	449,6	161,5		
	25	260,6	97,9	342,9	119,1	422,6	145,8				
	30	276,8	93,7	363,2	88,6	449,6	134,9	514,4	146,7		
	40	307,8	97,1	406,4	90,2	502,2	141,2	577,8	169,1	743,9	249,4
	50	340,2	127,5	448,2	150,9	554,9	189,9	637,2	193,0	820,8	314,9
70	20	276,8	114,6	363,2	139,9	449,6	150,5				
	25	291,6	108,0	384,8	124,6						
	30	307,8	127,2	406,4	149,0	502,2	166,4	577,8	194,8		
	40	340,2	134,8	448,2	163,5	554,9	175,8	637,2	210,6		
	50	371,3	137,5	491,4	181,6	607,5	204,2	700,7	245,4	905,9	336,9
80	15	291,6	104,1	384,8	153,6						
	20	307,8	97,2	406,4	131,1			573,8	209,6		
	30	340,2	130,0	448,2	149,4	554,9	184,7	641,3	216,2		
	40	371,3	131,7	491,4	119,5	607,5	190,8	704,7	203,7	912,6	327,4
	50	403,7	152,4	533,3	177,0	661,5	226,7	768,2	262,5	990,9	369,0
	60	434,7	162,7	575,1	176,0	714,2	241,0	831,6	289,3	1.076,0	400,1

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness									
		1,5		2		2,5		3		4	
		base	extra	base	extra	base	extra	base	extra	base	extra
90	20	340,2	143,5	448,2	175,4						
	30	371,3	155,2	491,4	210,9	607,5	233,4				
	40	403,7	171,7	533,3	234,4						
	50	434,7	183,1	575,1	223,1			831,6	322,5		
100	20	371,3	128,2	491,4	172,3						
	30	403,7	158,9	533,3	161,0			768,2	275,2		
	40	434,7	159,4	575,1	207,1	714,2	215,2	831,6	277,2	1.076,0	386,5
	50	467,1	169,5	618,3	165,2	766,8	236,1	895,1	271,4	1.167,8	420,5
	60			660,2	238,0	819,5	256,9	958,5	323,1	1.252,8	448,8
	80			745,2	233,6			1.085,4	383,2	1.417,5	497,8
120	40			660,2	216,6			958,5	276,9	1.252,8	448,8
	60			745,2	240,7			1.085,4	414,4	1.417,5	497,8
	80			830,3	311,5	1.031,4	333,1	1.213,7	404,5	1.593,0	570,0
140	60			830,3	311,5			1.213,7	404,5	1.579,5	573,3
150	50			830,3	307,2			1.213,7	404,5	1.593,0	570,0

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED OVAL TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness			
		1,5		2	
		base	extra	base	extra
30	15	117,3	49,1	152,6	56,4
36	18	141,8	55,8	186,3	73,8
40	20	158,0	57,9	206,6	69,2
50	10	172,8	67,7	226,8	90,7
	20	191,7	82,0	252,5	102,1
	25	202,5	79,8	266,0	96,5
60	30	241,7	96,2	320,0	118,4

WELDED SEMIOVAL TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness			
		1,5		2	
		base	extra	base	extra
40	20	172,8	74,3	226,8	92,7
	30	191,7	83,9	252,5	104,5
50	25	217,4	94,3	286,2	117,6
60	30	261,9	114,0	345,6	142,7

WELDED TRIANGULAR TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness			
		1,5		2	
		base	extra	base	extra
30	15	117,3	49,8	152,6	62,0
40	22	159,3	68,4	209,3	84,5

WELDED TUBES

round, square and rectangular tubes
cold-formed from pickled hot-rolled steel

PRICE LIST

Euro/100 metres ex-works

WELDED TRIANGULAR TUBES - QUALITY E220+CR2S2, ACC. TO EN10305-3

Side (mm)	Thickness			
	1,5		1,8	
	base	extra	base	extra
10A	172,8	71,1		
11A	182,3	70,1		
11B	212,0	81,7		
11C	217,4	83,4		
14A	241,7	98,1		
15A	267,3	102,4		
15T	317,3	121,7		
15Z	317,3	121,7		
16A	307,8	117,3		
16B	307,8	117,3		
16Z	341,6	131,7		
1A	232,2	89,2		
1B	291,6	112,7		
1C	272,7	104,4		
20L			444,2	186,9
20T			546,8	229,5
20Z			546,8	229,5
21L	276,8	123,1		
21T	356,4	158,5		
21Z	356,4	158,5		
2A	237,6	90,8		
2B	252,5	96,7		
2N	307,8	123,2		
2T	311,9	126,1		
2Z	252,5	101,5		
MT5	217,4	90,2		
MT9	217,4	103,8		
SF1B	291,6	118,0		
SF2B	341,6	140,0		
SF3B	341,6	138,3		

CARBON STEEL WELDED TUBES

PRICE LIST

Round, square and rectangular
from hot rolled carbon steel, black, pickled
and "Sendzimir" galvanized

Rev. 15 • September 28, 2026

ROUND, SQUARE AND RECTANGULAR TUBES COLD-FORMED IN "SENDZIMIR" GALVANIZED STEEL according to EN 10305-3

EXTERNAL WELDED AREA
WITH ZINC COATING

Prices in Euro/100 metres ex-works

Certificates 2.2 and 3.1 under EN 10204

STANDARD FEATURES

Steel grade: E220+CR2S4

Bar length: 6,000 mm

Length tolerance: -0 +50 mm

Available on request:

- Additional grades of steel
- Different diameters, thicknesses and lengths
- Heat treatments
- Internal weld seam removal
- Special packaging
- Welding position

The **final price** is determined by the sum of the **base price**, to which the agreed commercial discount is applied, and the applicable **fixed extra** charge, which is not subject to discount.

LOGISTICS EFFICIENCY DISCOUNT

For orders of at least
3 bundles/item of 6 m
or **2 bundles/item of 12 m**,
shipped on a single vehicle,
a **discount of €12/ton**
will be applied directly
to the invoice.

MELTED AND POURED

The *Melted and Poured*
certificate is subject
to an additional charge,
the amount of which
will be commercially agreed
based on the volumes
covered by the request.

WELDED TUBES

round, square and rectangular tubes
cold-formed in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED ROUND TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Diameter (mm)	Thickness													
	1		1,2		1,5		2		2,5		3		4	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
12					62,1	28,4								
13					68,0	34,3								
14	51,4	25,8	60,6	29,6	73,9	35,0	94,7	38,8						
15					79,8	33,2								
16	59,2	24,0	70,1	29,5	85,8	33,5	110,6	39,8						
17					91,7	38,1								
18	67,0	27,4	79,5	28,4	97,6	33,4	126,2	42,7						
19	71,0	30,8	84,3	35,7	103,5	40,1	134,2	53,9						
20	75,0	24,0	89,0	31,2	109,4	31,0	142,1	41,4						
21,3							152,3	46,8	185,6	57,8				
22	82,9	33,8	98,6	38,3	121,3	38,1	157,9	54,0						
25	94,7	33,7	112,6	35,8	139,0	40,3	180,8	54,6	222,4	69,1				
26					145,0	49,3	188,8	60,4	232,0	74,9				
26,9					150,4	51,2	196,8	56,3	240,0	77,8	283,2	91,1		
28	106,6	34,2	126,9	41,7	156,8	37,6	204,8	49,2	251,2	75,9				
29					163,2	55,2	212,8	67,8						
30	114,4	35,2	136,3	39,3	168,0	44,3	220,8	52,8	272,0	74,3				
32	122,4	40,3	145,8	46,4	180,8	43,3	236,8	53,0	291,2	78,5				
33,7					190,4	53,8	249,6	65,2	307,2	77,3	363,2	92,4		
35	134,1	44,1	160,0	50,8	198,4	49,4	260,8	69,8	320,0	86,6				
38	145,9	40,2	174,4	55,4	216,0	62,1	284,8	75,5	350,4	88,0				
40	153,9	43,4	184,0	50,7	227,2	58,5	299,2	77,0	369,6	90,0	438,4	107,6		
42	161,6	53,3	193,6	61,2	240,0	59,1	315,2	73,9	390,4	97,8				
42,4					241,6	59,8	318,4	84,3	393,6	86,6	467,2	117,9		
45	174,4	51,0	208,0	65,4	257,6	72,2	339,2	93,5	419,2	113,1	497,6	134,0		
48	185,6	60,9	222,4	62,8	275,2	64,7	363,2	89,3	449,6	112,5				
48,3							364,8	85,4	451,2	113,3	536,0	136,1		
50			230,4	77,4	286,4	72,2	379,2	88,8	468,8	131,1	556,8	155,8		
55			254,4	93,5	316,8	95,3	417,6	116,8						
57					328,0	101,6	433,6	124,4	537,6	167,6				
60			278,4	98,8	345,6	79,6	457,6	97,2	568,0	142,2	675,2	149,8		
60,3							460,8	113,3	569,6	125,5	678,4	172,3	888,0	260,4
63					364,8	119,8	481,6	135,5						
65					376,0	124,0	497,6	152,8						
70					404,8	121,0	536,0	148,0	665,6	186,4	793,6	221,9		
73					424,0	139,3	560,0	172,2						
75					435,2	143,3	576,0	177,1						
76					441,6	128,9	584,0	146,8	724,8	185,8	864,0	224,2		
76,1							585,6	133,7	726,4	172,5	865,6	224,2	1.137,6	332,6
80					464,0	124,8	616,0	150,9	764,8	222,1				
83					483,2	158,9	640,0	196,3						
88,9					516,8	154,2	686,4	161,4	852,8	223,3	1.017,6	268,9	1.340,8	407,0
101,6							785,6	201,9	977,6	225,4	1.168,0	307,7	1.540,8	467,7
114,3							886,4	216,7	1.102,4	291,7	1.318,4	323,1	1.744,0	527,9
127							987,2	237,2			1.467,2	396,4	1.936,0	590,6
133											1.539,2	390,8		

WELDED TUBES

round, square and rectangular tubes
cold-formed in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED SQUARE TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Side (mm)	Thickness													
	1		1,2		1,5		2		2,5		3		4	
	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
10					63,5	36,3								
12					78,6	37,6								
14	65,1	30,5	76,8	34,4	93,6	39,8								
15	70,1	35,6	82,9	40,4	101,1	44,7	129,6	54,7						
16	75,0	31,5	88,8	35,2	108,6	41,2	139,7	51,0						
18			101,0	44,0	123,7	51,6	159,7	52,2						
20	95,2	37,7	113,0	42,9	138,9	43,1	179,2	48,3	217,6	70,3				
22	105,3	42,8	125,0	50,0	153,9	51,9	200,0	69,8						
25	120,3	39,3	143,0	47,2	176,0	46,8	230,4	54,9	281,6	76,5	307,2	98,9		
28	135,4	56,4	161,6	65,5	198,4	71,9	260,8	91,5						
30	145,4	49,8	172,8	58,3	214,4	53,5	280,0	59,5	344,0	89,3	382,4	104,9		
32	155,5	59,0	185,6	68,5	228,8	78,6	300,8	99,8						
34					244,8	114,6	320,0	124,7	393,6	147,7				
35	171,2	60,9	203,2	71,4	251,2	62,2	331,2	77,3	406,4	118,4	457,6	133,1		
40	195,2	62,1	233,6	71,4	289,6	64,1	380,8	70,7	468,8	123,9	532,8	116,0		
45					328,0	96,3	430,4	104,7	532,8	149,0	609,6	171,5		
50					364,8	88,0	481,6	90,6	595,2	158,2	684,8	161,6	881,6	259,2
55					403,2	164,0	531,2	185,7	657,6	233,8				
60					440,0	102,9	582,4	113,9	720,0	192,8	835,2	201,4	1.081,6	320,6
70					515,2	179,7	681,6	191,0	846,4	281,4	985,6	322,9	1.283,2	473,0
75					553,6	180,7	732,8	245,1						
80					590,4	206,6	782,4	202,7	971,2	324,1	1.136,0	299,7	1.484,8	398,9
90							883,2	309,1						
100							984,0	220,9	1.222,4	339,0	1.438,4	384,0	1.888,0	555,0
120											1.744,0	457,2	2.288,0	614,8
150											2.192,0	714,7	2.896,0	1.027,2
200											2.944,0	810,9	3.888,0	1.448,5

WELDED TUBES

round, square and rectangular tubes
cold-formed in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness													
		1		1,2		1,5		2		2,5		3		4	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
20	10	70,1	28,1	82,9	32,7	101,1	36,4	129,6	45,8						
	15	82,6	31,6	97,9	36,9	120,0	41,9	154,7	52,8						
25	10	82,6	32,1	97,9	37,5	120,0	44,7	154,7	53,6						
	15	95,2	33,9	113,0	39,4	138,9	48,2	179,2	57,8						
	20	107,7	37,2	128,0	43,2	157,6	48,6	204,8	63,8						
30	10	95,2	34,5	113,0	40,1	138,9	44,7	179,2	58,7						
	15	107,7	36,7	128,0	42,6	157,6	41,4	204,8	58,2						
	20	120,3	41,8	143,0	48,5	176,0	46,5	230,4	53,7	281,6	79,2	307,2	93,2		
	25	132,8	48,3	158,2	55,9	195,2	61,4	256,0	74,9						
35	10	107,7	40,0	128,0	46,5	157,6	52,8	204,8	64,8						
	15	120,3	43,5	143,0	50,4	176,0	54,3	230,4	66,2						
	20	132,8	47,6	158,2	55,1	195,2	54,2	256,0	73,5						
	25	145,4	51,1	172,8	59,7	214,4	87,4	280,0	80,0	344,0	100,6				
40	10	120,3	44,0	143,0	51,1	176,0	52,1	230,4	67,4						
	15	132,8	46,2	158,2	53,5	195,2	52,1	256,0	70,8						
	20	145,4	48,3	172,8	56,5	214,4	52,6	280,0	61,8	344,0	94,2	382,4	110,0		
	25	157,9	56,6	188,8	65,2	233,6	69,6	305,6	85,2	376,0	107,4	420,8	133,2		
	27					240,0	73,3	315,2	80,4						
	30	171,2	58,9	203,2	69,1	251,2	69,3	331,2	76,7	406,4	113,9	457,6	127,4		
	35	182,4	67,8	219,2	77,6	270,4	80,3	355,2	100,9						
45	10	132,8	48,3	158,2	55,9	195,2	61,4	256,0	72,2						
	15	145,4	50,2	172,8	58,7	214,4	64,2	280,0	78,5						
	20	157,9	56,6	188,8	65,2	233,6	69,6	305,6	85,2						
	25	171,2	61,2	203,2	72,0	251,2	77,3	331,2	94,6	406,4	119,5				
	30	182,4	66,8	219,2	76,4	270,4	83,9	355,2	102,9						
	35	195,2	66,6	233,6	76,9	289,6	87,2	380,8	103,0	468,8	135,0				
50	10	145,4	51,1	172,8	59,7	214,4	61,3	280,0	80,0						
	15	157,9	60,0	188,8	69,3	233,6	70,2	305,6	92,0						
	20	171,2	58,9	203,2	69,1	251,2	69,3	331,2	76,7	406,4	113,9	457,6	134,6		
	25	182,4	63,2	219,2	72,2	270,4	73,6	355,2	89,6	438,4	121,2	496,0	143,2		
	30	195,2	60,5	233,6	69,8	289,6	69,3	380,8	77,2	468,8	120,2	532,8	127,1		
	35	208,0	74,5	248,0	87,1	308,8	95,5	406,4	113,0						
	40	220,8	72,1	264,0	83,5	328,0	91,9	430,4	99,1						
60	10	171,2	65,0	203,2	76,5	251,2	82,9	331,2	101,7						
	15	182,4	67,8	219,2	77,6	270,4	80,3	355,2	104,8						
	20	195,2	62,6	233,6	72,1	289,6	78,0	380,8	91,0	468,8	125,2	532,8	154,3		
	25	208,0	74,5	248,0	87,1	308,8	95,5	406,4	117,2	500,8	148,0				
	30					328,0	85,4	430,4	92,8	532,8	138,9	609,6	154,2		
	40					364,8	84,4	481,6	90,6	595,2	147,1	684,8	146,1	881,6	242,7
	50					403,2	124,4	531,2	153,4	657,6	193,8				
70	20					328,0	100,0	430,4	122,8	532,8	154,7				
	25					345,6	106,2	456,0	125,3						
	30					364,8	111,2	481,6	126,6	595,2	172,4	684,8	189,9		
	40					403,2	108,4	531,2	120,5	657,6	179,8				
	50					440,0	131,3	582,4	136,1	720,0	210,2				

WELDED TUBES

round, square and rectangular tubes
cold-formed in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED RECTANGULAR TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness													
		1		1,2		1,5		2		2,5		3		4	
		base	extra	base	extra	base	extra	base	extra	base	extra	base	extra	base	extra
80	15					345,6	104,3	456,0	136,2						
	20					364,8	99,6	481,6	123,8						
	30					403,2	121,4	531,2	134,2	657,6	188,6	760,0	207,8		
	40					440,0	109,2	582,4	115,6	720,0	183,7	835,2	179,8	1.081,6	326,1
	50					478,4	148,4	632,0	152,0	784,0	231,1	910,4	260,8		
	60					515,2	159,0	681,6	182,5	846,4	247,5	985,6	270,6		
90	20					403,2	140,8	531,2	174,9						
	30					440,0	152,6	582,4	189,3	720,0	238,8				
	40					478,4	167,6	632,0	208,4						
	50					515,2	179,7	681,6	210,3			985,6	328,1		
100	20					440,0	131,7	582,4	155,6						
	30					478,4	155,1	632,0	179,5			910,4	263,3		
	40					515,2	156,8	681,6	155,4	846,4	232,0	985,6	269,1		
	50					553,6	166,9	732,8	155,8	908,8	247,0	1.060,8	234,3	1.384,0	423,4
	60							782,4	224,4	971,2	273,2	1.136,0	294,2	1.484,8	474,8
	80							883,2	255,8	1.078,4	293,4	1.286,4	365,9		
120	30							732,8	210,2			1.060,8	323,6		
	40							782,4	202,8			1.136,0	307,2	1.484,8	484,3
	50							833,6	240,1			1.211,2	331,2		
	60							883,2	232,2			1.286,4	355,2	1.680,0	519,3
	80							984,0	286,2	1.222,4	371,5	1.438,4	366,5	1.888,0	576,8
140	60							984,0	298,3			1.438,4	465,1		
	80											1.588,8	442,9		
150	30							883,2	262,4			1.286,4	402,7		
	40							932,8	280,2						
	50							984,0	287,7			1.438,4	449,7	1.888,0	626,2
	60											1.513,6	470,2		
	100											1.808,0	473,2	2.384,0	795,5
160	80											1.744,0	536,9	2.288,0	746,2
180	60											1.744,0	536,9	2.288,0	746,2
	80											1.888,0	524,5	2.496,0	847,7
200	100											2.192,0	667,9	2.896,0	920,4

WELDED TUBES

round, square and rectangular tubes
cold-formed in "Sendzimir" galvanised steel

PRICE LIST

Euro/100 metres ex-works

WELDED DOOR AND WINDOW FRAME TUBES - QUALITY E220+CR2S4, acc. to EN10305-3

Dimension (mm)	Thickness					
	1,5		1,8		2	
	base	extra	base	extra	base	extra
21L	328,0	117,2				
21T	422,4	151,0				
21Z	422,4	151,0				
20L			526,4	181,7		
20T			648,0	223,7		
20Z			648,0	223,7		
10A	204,8	73,6				
11A	216,0	72,4				
11B	251,2	84,4				
11C	257,6	86,4				
15A	316,8	106,1				
15T	376,0	126,0				
15Z	376,0	126,0				
16A	364,8	121,9				
16B	364,8	121,9				
16D					734,4	236,9
16Z	404,8	136,0				
1A	275,2	92,3				
1B	345,6	116,3				
1C	323,2	107,9				
2A	281,6	94,2				
2B	299,2	100,2				
2D					584,0	188,6
2N	364,8	127,6				
2T	369,6	129,9				
2Z	299,2	104,9				
MT5	257,6	93,2				
MT9	257,6	100,0				
SF1B	345,6	121,8				
SF2B	404,8	142,5				
SF3B	404,8	142,5				

WELDED OVAL TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness					
		1,2		1,5		2	
		base	extra	base	extra	base	extra
30	15	112,6	43,3	139,0	50,6	180,8	64,1
36	18	136,3	52,4	168,0	61,6	220,8	77,9
40	20	150,6	57,0	187,2	66,8	244,8	84,9
50	10	164,8	57,5	204,8	71,5	268,8	95,8
	20	184,0	71,3	227,2	84,3	299,2	107,3
	25	193,6	74,8	240,0	88,7	315,2	113,2
60	30	230,4	90,4	286,4	106,1	379,2	135,3

WELDED TRIANGULAR TUBES - QUALITY E220+CR2S4, ACC. TO EN10305-3

Side A (mm)	Side B (mm)	Thickness			
		1,5		2	
		base	extra	base	extra
30	15	139,0	51,3	180,8	65,1
40	22	188,8	70,2	248,0	88,9